

Welcome to CSC358!
Introduction to Computer Networks

Amir H. Chanaei, Winter 2016

Today

❖ Course Outline

- What this course is about

❖ Logistics

- Course organization, information sheet
- Assignments, grading scheme, *etc.*

❖ Introduction to

- Principles of computer networks

What is this course about?

❖ Theory vs practice

- **CSC358 : Theory**
- CSC309 and CSC458 : Practice

❖ Need to have solid math background


- in particular, probability theory

❖ Overview

- principles of computer networks, layered architecture
- connectionless and connection-oriented transports
- reliable data transfer, congestion control
- routing algorithms, multi-access protocols,
- delay models, addressing, and some special topics

Overview: internet protocol stack

- ❖ *application*: supporting network applications
 - FTP, SMTP, HTTP
- ❖ *transport*: process-process data transfer
 - TCP, UDP
- ❖ *network*: routing of datagrams from source to destination
 - IP, routing protocols
- ❖ *link*: data transfer between neighboring network elements
 - Ethernet, 802.111 (WiFi), PPP
- ❖ *physical*: bits “on the wire”



Logistics (1/3)

❖ Prerequisite knowledge

- Probability theory is a must
- Mathematical modeling
- Data structures & algorithms


❖ Course components

- Lectures: concepts
- Tutorials: problem solving
- Assignments: mastering your knowledge
- Readings: preparing you for above
- Optional assignments: things in practice, bonus

Logistics (2/3)

❖ Text book

- *Computer Networking*
A Top-Down Approach Featuring the Internet
5th Edition, J. F. Kurose and K.W. Ross



❖ Lecture slides

- Many slides are (adapted) from the above source
- © All material copyright
- All rights reserved for the authors

Logistics (3/3)

❖ For important information on

- Lecture and tutorial time/location
- Contact information of course staff (instructor and TAs)
- Office hour and location
- Assignments specification and solution
- Readings, lectures notes (slides), and tutorial materials
- Deadlines and evaluation
- Communication and announcements

❖ Follow the course web page, regularly

<http://www.cs.toronto.edu/~ahchinaei/teaching/2016jan/csc358/>

Let's begin with Chapter I

1.1 what *is* the Internet?

1.2 network edge

- end systems, access networks, links

1.3 network core

- packet switching, circuit switching, network structure

1.4 delay, loss, throughput in networks

1.5 protocol layers, service models

1.6 networks under attack: security

1.7 history

Key terms

- ❖ Internet
- ❖ protocol
- ❖ packet ~ chunk of data
- ❖ network edge, access net, physical media, network core
- ❖ host ~ end system ~ (computing) device/machine/terminal
~ server (or client) ~ sender/transmitter ~ receiver
- ❖ router ~ (packet) switch ~ sender/transmitter ~ receiver
- ❖ packet/circuit switching
- ❖ (wired, wireless) link
- ❖ link capacity ~ link bandwidth ~ transmission rate
- ❖ propagation rate
- ❖ performance: loss, delay, throughput



What is the Internet?

What's the Internet: "nuts and bolts" view




- ❖ millions of connected computing devices:
 - *hosts* ~ *end systems*
 - running *network apps*

- ❖ *communication links*
 - fiber, copper, radio, satellite
 - transmission rate: *bandwidth*



- ❖ *Packet switches*
 - *routers* and *switches*
 - forward packets (chunks of data)



“Fun” internet appliances



IP picture frame
<http://www.ceiva.com/>



Web-enabled toaster +
weather forecaster



Tweet-a-watt:
monitor energy use



Internet
refrigerator




Slingbox: watch,
control cable TV remotely



Internet phones


What's the Internet: "nuts and bolts" view

- ❖ **Internet: "network of networks"**
 - Interconnected ISPs
- ❖ **protocols** control sending, receiving of msgs
 - e.g., TCP, IP, HTTP, Skype, 802.11
- ❖ **Internet standards**
 - RFC: Request for comments
 - IETF: Internet Engineering Task Force



What's the Internet: a service view

- ❖ *Infrastructure that provides services to applications:*
 - Web, VoIP, email, games, e-commerce, social nets, ...
- ❖ *provides application programming interface*
 - hooks that allow sending and receiving app programs to “connect” to Internet
 - provides service options, analogous to postal service



What's a protocol?

human protocols:

- ❖ “what's the time?”
 - ❖ “I have a question”
 - ❖ introductions
- ... specific msgs sent
- ... specific actions taken when msgs received, or other events


network protocols:

- ❖ machines rather than humans
- ❖ all communication activity in Internet governed by protocols

protocols define format, order of msgs sent and received among network entities, and actions taken on msg transmission, receipt

What's a protocol?

a human protocol and a computer network protocol:



Q: other human protocols?

A closer look at network structure:


❖ *network edge:*

- hosts: clients and servers
- servers often in data centers

❖ *access networks, physical media:* wired, wireless communication links

❖ *network core:*

- interconnected routers
- network of networks



self-reading
to Page 28


Access networks and physical media

Q: How to connect end systems to edge router?


- ❖ residential access nets
- ❖ institutional access networks (school, company)
- ❖ mobile access networks

keep in mind:

- ❖ bandwidth (bits per second) of access network?
- ❖ shared or dedicated?




Access net: digital subscriber line (DSL)




- ❖ use *existing* telephone line to central office DSLAM
 - data over DSL phone line goes to Internet
 - voice over DSL phone line goes to telephone net
- ❖ < 2.5 Mbps upstream transmission rate (typically < 1 Mbps)
- ❖ < 24 Mbps downstream transmission rate (typically < 10 Mbps)

Access net: cable network



frequency division multiplexing: different channels transmitted in different frequency bands


Access net: cable network




❖ HFC: hybrid fiber coax

- asymmetric: up to 30Mbps downstream transmission rate, 2 Mbps upstream transmission rate
- ❖ **network** of cable, fiber attaches homes to ISP router
 - homes *share access network* to cable headend
 - unlike DSL, which has dedicated access to central office

Access net: home network



Enterprise access networks (Ethernet)




- ❖ typically used in companies, universities, etc
- ❖ 10 Mbps, 100Mbps, 1Gbps, 10Gbps transmission rates
- ❖ today, end systems typically connect into Ethernet switch

Wireless access networks

- ❖ shared *wireless* access network connects end system to router
 - via base station aka “access point”

wireless LANs:


- within building (100 ft)
- 802.11b/g (WiFi): 11, 54 Mbps transmission rate



to Internet

wide-area wireless access

- provided by telco (cellular) operator, 10' s km
- between 1 and 10 Mbps
- 3G, 4G: LTE



to Internet

Physical media

- ❖ **bit:** propagates between transmitter/receiver pairs
- ❖ **physical link:** what lies between transmitter & receiver
- ❖ **guided media:**
 - signals propagate in solid media: copper, fiber, coax
- ❖ **unguided media:**
 - signals propagate freely, e.g., radio

twisted pair (TP)


- ❖ two insulated copper wires
 - Category 5: 100 Mbps, 1 Gbps Ethernet
 - Category 6: 10Gbps



Physical media: coax, fiber

coaxial cable:

- ❖ two concentric copper conductors
- ❖ bidirectional
- ❖ broadband:
 - multiple channels on cable
 - HFC



fiber optic cable:

- ❖ glass fiber carrying light pulses, each pulse a bit
- ❖ high-speed operation:
 - high-speed point-to-point transmission (e.g., 10' s-100' s Gpbs transmission rate)
- ❖ low error rate:
 - repeaters spaced far apart
 - immune to electromagnetic noise



Physical media: radio

- ❖ signal carried in electromagnetic spectrum
- ❖ no physical “wire”
- ❖ bidirectional
- ❖ propagation environment effects:
 - reflection
 - obstruction by objects
 - interference


radio link types:

- ❖ **terrestrial microwave**
 - e.g. up to 45 Mbps channels
- ❖ **LAN (e.g., WiFi)**
 - 11 Mbps, 54 Mbps
- ❖ **wide-area (e.g., cellular)**
 - 3G cellular: ~ few Mbps
- ❖ **satellite**
 - Kbps to 45Mbps channel (or multiple smaller channels)
 - 270 msec end-end delay
 - geosynchronous versus low altitude

Host: sends *packets* of data

host sending function:


- ❖ takes application message
- ❖ breaks into (smaller) chunks, known as *packets*, of length L bits
- ❖ transmits packet into access network at *transmission rate R*
 - link transmission rate, aka *link capacity*, aka *link bandwidth*




$$\text{packet transmission delay} = \text{time needed to transmit } L\text{-bit packet into link} = \frac{L \text{ (bits)}}{R \text{ (bits/sec)}}$$

The network core

- ❖ mesh of interconnected routers and links
 - **forward** packets from one router to the next, across links on path from source to destination
 - each packet transmitted at full link capacity




Packet-switching: store-and-forward



- ❖ takes L/R seconds to transmit (push out) L -bit packet into link at R bps
- ❖ *store and forward*: entire packet must arrive at router before it can be transmitted on next link
- ❖ end-end delay = $2L/R$ (assuming no other delays)

- one-hop numerical example:*
- $L = 1$ KBytes
 - $R = 1.6$ Mbps
 - one-hop transmission delay ?
- } more on delay shortly ...

Packet switching: queueing delay, loss



queuing and loss:


- ❖ If arrival rate (in bits) to link exceeds transmission rate of link for a period of time:
 - packets will queue, wait to be transmitted on link
 - packets can be dropped (lost) if memory (buffer) fills up

Two key network-core functions

routing: determines source-destination route taken by packets

- *routing algorithms*


forwarding: move packets from routers input to appropriate router output



Alternative core: circuit switching

end-end resources allocated to, reserved for “call” between source & dest:

- ❖ In diagram, each link has four circuits.
 - call gets 2nd circuit in top link and 1st circuit in right link.
- ❖ dedicated resources: no sharing
 - circuit-like (guaranteed) performance
- ❖ circuit segment idle if not used by call (*no sharing*)
- ❖ Commonly used in traditional telephone networks




Circuit switching: FDM versus TDM


FDM

Example:

4 users



TDM



Packet switching versus circuit switching

packet switching allows more users to use network!

example:


- 1 Mb/s link
- each user:
 - 100 kb/s when “active”
 - active 10% of time

❖ *circuit-switching:*

- 10 users

❖ *packet-switching:*

- with 11 users, what is the probability that all active at same time?
- with 35 users, probability > 10 active at same time is less than 0.0004. Q: what if > 35 users ?



Packet switching versus circuit switching

is packet switching a “slam dunk winner?”

- ❖ great for bursty data
 - resource sharing
 - simpler, no call setup
- ❖ **excessive congestion possible:** packet delay and loss
 - protocols needed for reliable data transfer, congestion control
- ❖ **Q: How to provide circuit-like behavior?**
 - bandwidth guarantees needed for audio/video apps
 - still an unsolved problem


Q: human analogies of reserved resources (circuit-switching) versus on-demand allocation (packet-switching)?

Internet structure: network of networks

- ❖ End systems connect to Internet via **access ISPs** (Internet Service Providers)
 - Residential, company, and university ISPs
- ❖ Access ISPs in turn must be interconnected
 - ❖ So that any two hosts can send packets to each other
- ❖ Resulting network of networks is very complex
 - ❖ Evolution was driven by **economics** and **national policies**
- ❖ Let's take a stepwise approach to describe current Internet structure


Internet structure: network of networks

Question: given *millions* of access ISPs, how to connect them together?




Internet structure: network of networks

Option: connect each access ISP to every other access ISP?



Internet structure: network of networks


Option: connect each access ISP to a global transit ISP? Customer and provider ISPs have economic agreement.



Internet structure: network of networks


But if one global ISP is viable business, there will be competitors

....




Internet structure: network of networks

But if one global ISP is viable business, there will be competitors
.... which must be interconnected




Internet structure: network of networks

... and regional networks may arise to connect access nets to ISPS




Internet structure: network of networks

... and content provider networks (e.g., Google, Microsoft, Akamai) may run their own network, to bring services, content close to end users



Internet structure: network of networks



- ❖ at center: small # of well-connected large networks
 - “**tier-1**” **commercial ISPs** (e.g., Level 3, Sprint, AT&T, NTT), national & international coverage
 - **content provider network** (e.g., Google): private network that connects its data centers to Internet, often bypassing tier-1, regional ISPs

Summary

- ❖ Internet overview
- ❖ what's a protocol?
- ❖ network edge, core, access network
 - packet-switching versus circuit-switching
 - Internet structure
- ❖ performance: loss, delay,

- ❖ **Next**
 - Assignment I: out next week
 - Delay & loss, throughput, layering & service models
 - continued by more depth, detail on each layer in the following lecture