

# CSCA08H lab – week 6

This document contains the instructions for the week 6 CSCA08H lab.

## 1 Objectives

1. Learn about simple GUI events.
2. Learn how to process button clicks.

## 2 Starting up

Sit down with your partner. The rest of these instructions call you two `s1` and `s2`. Pick which one is which. `s1` should log in and start up DrJava, and be the first driver.

## 3 The task

To remind you: a `javax.swing.JButton` is a clickable button, and a `javax.swing.JTextArea` is a typing area. Both those things are *components*. Most GUI components go in the *content pane* of a `JFrame`. The content pane is a *container*, because it can contain components. It has five areas: north, south, east, west, and center.

An *event* in Java is something the user does to interact with your program: click a button, type a letter, move the mouse, and so on. When an event happens, Java notifies any object that is interested in the event. For example, when a `JButton` is clicked, every object that has registered with the `JButton` has their `actionPerformed` method called.

Download `ButtonJFrame.java` from Week 6 at: <http://www.cs.toronto.edu/~campbell/108/05w/labs.shtml>

Open it in DrJava, compile it, and in the Interactions Pane make a new `ButtonJFrame` and show it:

```
new ButtonJFrame().show();
```

There is only one button, called `Click me`. Click it and watch what happens.

Here are the important new concepts in `ButtonJFrame`:

- `class ButtonJFrame ... implements ActionListener`  
This tells Java that `ButtonJFrame` can listen to some events, and will have a method called `actionPerformed`.
- `b1.addActionListener(this);`  
This tells Java that `this` object (the `ButtonJFrame` window) is listening for clicks on `b1`.
- Method `actionPerformed(ActionEvent e)` (go read it now!)  
This method gets called by Java when `b1` is clicked. `e.getSource()` returns the memory address of the button that was clicked on –here, the button that `b1` refers to.
- `b.setText(s)`  
This sets the text on the button to `String s`.

Do the following:

- Change the initial button text from "Click me" to "Click count: 0". You may need to call `this.pack()`; at the end of `actionPerformed` in order to make the button look right.
- Add an instance variable that keeps track of the number of clicks.
- Change `actionPerformed` to update the instance variable.
- Change `actionPerformed` so that it no longer asks the user for the new text, but instead changes the text of the button to "Click count: i", where i is the number of clicks so far. Be sure to rewrite the comment.

Compile it, test it, and fix any errors.

Demonstrate to your TA that it works.

## 4 Another task: StringTokenizer

**Switch roles: s2 drives and s1 navigates.**

- Change the button text back to "Click me".
- Add a `JTextArea` to the center and move the button to the north.
- Change the code so that when the button is clicked the user is prompted to type a sentence. Using a `StringTokenizer` and a `while` loop make each word appear on a separate line in the `JTextArea`.

For example, if the user types "What, me worry?" then the text area should contain

```
What,  
me  
worry?
```

Be sure to rewrite the comment.

Compile it, test it, and fix any errors.

Demonstrate to your TA that it works.