

# Intro to Image Understanding (CSC420)

## Assignment 1

Posted: Jan 18, 2019    Submission Deadline : Jan 26, 11.59pm, 2019

Instructions for submission: Please write a document (pdf or doc) with your solutions (include pictures where needed). Include your code inside the document. Please submit through MarkUs. You are expected to work on the assignment **individually**.

Max points: 15

1. (a) [**2 points**] Write your own code for computing convolution of the 2D (grayscale) image and a 2D filter. Make the output matrix be the same size as the input image. Be careful to correctly deal with the border of the image – the easiest way to do this is to “zero-pad” the image prior to convolution.  
(b) [**1 point**] Extend this code to handle RGB images and 3D filters (having the third dimension equal to 3).
2. (a) [**2 points**] You convolve an image  $I$  with a filter  $f_1 = \begin{pmatrix} a & b \\ c & d \end{pmatrix}$ , then take the output and convolve it with another filter  $f_2 = \begin{pmatrix} e & f \\ g & h \end{pmatrix}$ . Is it possible to get the same final result by just performing one convolution? If so, what is the filter to do this?  
(b) [**1 point**] Write your own function that creates an isotropic Gaussian filter with  $\sigma$  as an input parameter.  
(c) [**1 point**] Convolve the attached `waldo.png` with a (2D) Gaussian filter with  $\sigma = 1$  and visualize the result (display the result of the convolution). You can use built-in functions for convolution.  
(d) [**2 points**] Is a vertical derivative,  $\frac{\partial G(x,y)}{\partial y}$ , of a Gaussian filter  $G$  a separable filter? Analyze both the isotropic and anisotropic case. Explain your answer.  
(e) [**1 point**] What is the number of operations required for performing 2D convolution? What is the number of operations for performing convolution with a separable filter?
3. (a) [**1 point**] Compute magnitude of gradients for the attached images `waldo.png` and `template.png`.  
(b) [**1 point**] Write a function that localizes the template (`template.png`) in the image `waldo.png` based on the magnitude of gradients.

4. (a) **[3 points]** Implement Canny edge detector yourself. You do not need to do hysteresis thresholding. However, do perform non-maxima suppression. Please visualize your results on `waldo.png`.