



# Intelligent dialogue agents

CSC401/2511 – Natural Language Computing – Spring 2020

Lecture 10 Frank Rudzicz

University of Toronto

# Personal assistants

**SimCoach**  
the place to talk to someone

**Need to talk to someone NOW?**  
Call this Helpline:  
866-966-1020

**Welcome Guests!**  
Username:   
Password:   
Registration is OPTIONAL  
Learn more about profiles [HERE](#)

**Video:** A man in a dark blue shirt sits at a wooden table on a porch. A white mug is on the table. Subtitle: "You should view these sites to better understand PTSD. They'll also tell you about what's worked best for other folks."

**Chat Window:**

Hello, welcome to Simcoach.

Some things before we get started: I'm based on the real experiences of warfighters and their families, but I am not a real human, so please be patient with me, and talk in short sentences. Far as conversations go, I'm best at talking about PTSD and depression. I'm not a shrink, but I'm here to help.

I'd like to ask you a few questions to get to know you a bit. Ok?

no

I think I can help you better if I know where you're coming from.

ok?

no


that's ok

What's the major concern that brought you here today?

Alright I'll check those out.

© 2010 USC Institute for Creative Technologies | [Terms of Use](#) | [Confidentiality](#)


# Personal assistants



# Dialogue – the final frontier



- Human-like dialogue with a machine was literally the **first task** proposed in the field of artificial intelligence.
- It remains the **most elusive**.
- To succeed, our agents must:
  1. Understand the world or task, *and*
  2. Respond realistically and consistently.






Understanding the world

# RETRIEVING INFORMATION

# Information retrieval systems

- **Information retrieval (IR):** *n.* searching for **documents** or **information** in documents.
  - **Question-answering:** respond with a **specific answer** to a question (e.g., **Wolfram Alpha**).
  - **Document retrieval:** find **documents** relevant to a **query**, ranked by relevance (e.g., **bing** or **Google**).
  - **Text analytics**/data mining: General organization of large textual databases (e.g., OpenText, MedSearch, ROSS)

# Question answering (QA)



- **Question Answering** (QA) usually involves a specific answer to a question.

# Knowledge-based QA




1. Build a **structured semantic representation** of the query.
  - *Extract times, dates, locations, entities using **regular expressions**.*
  - *Fit to well-known **templates**.*
2. Query databases with these semantics.
  - Ontologies (Wikipedia infoboxes).
  - Restaurant review databases.
  - Calendars.
  - Movie schedules.
  - ...



# Slots machine

SHOW	→ show me   i want   can i see ...
DEPART_TIME_RANGE	→ (after around before) HOUR   morning   afternoon   evening
HOUR	→ one two three four... twelve (AMPM)
FLIGHTS	→ (a) flight   flights
AMPM	→ am   pm
ORIGIN	→ from CITY
DESTINATION	→ to CITY
CITY	→ Boston   San Francisco   Denver   Washington

That's not very scalable, is it?



Speech and Language Processing. Daniel Jurafsky & James H. Martin. Copyright 2017. All rights reserved. Draft of August 7, 2017.



# Document retrieval vs IR



what woman won more than one nobel prize

All News Videos Images Shopping More Settings Tools

About 4,000,000 results (0.49 seconds)

**Marie Curie** won the Nobel prize in 1903 for Physics and 1911 in Chemistry; Linus Pauling in 1954 (for Chemistry) and 1962 (for Peace); John Bardeen in 1956 (for Physics) and 1972; Frederick Sanger in Chemistry in 1958 and 1980. Who has won more than one Nobel prize? Apr 1, 2007

[Who has won more than one Nobel prize? - Times of India](#)  
timesofindia.indiatimes.com/home/...won-more-than-one-Nobel-prize/.../1839923.cms

About this result Feedback

People also ask

Who has won Nobel Prize twice?

What w

How m

How m



which woman has won more than 1 nobel prize?

Using closest Wolfram|Alpha interpretation: nobel prize

what woman won more than one nobel prize?

Web Apps Examples Random

Using closest Wolfram|Alpha interpretation: **won more than one**

More interpretations: nobel prize woman


Assuming Korean won for "won" | Use North Korean won instead

2010	Richard F. Heck	chemistry	United States	United States
2010	Christopher A. Pissarides	economics	United Kingdom	Cyprus

- One strategy is to turn question answering into information retrieval (IR) and let the human complete the task.

# The vector space model

- If the query and the available documents can be represented by vectors, we can determine **similarity** according to their **cosine distance**.
  - Vectors that are **near** each other (within a certain **angular radius**) are considered relevant.



Document  $d_2$  is closest to query  $q$ .

# Term weighting

- What if we want to **weight** words in the vector space model?
  - **Term frequency,  $tf_{ij}$ :** number of occurrences of word  $w_i$  in document  $d_j$ .
  - **Document frequency,  $df_i$ :** number of documents in which  $w_i$  appears.
  - **Collection frequency,  $cf_i$ :** total occurrences of  $w_i$  in the collection.



# Term frequency

- **Higher** values of  $tf_{ij}$  (for contentful words) suggest that word  $w_i$  is a **good** indicator of the content of document  $d_j$ .
  - When considering the relevance of a document  $d_j$  to a keyword  $w_i$ ,  $tf_{ij}$  should be **maximized**.
- We often **dampen**  $tf_{ij}$  to temper these comparisons.
  - $tf_{dampen} = 1 + \log(tf)$ , if  $tf > 0$ .

# Document frequency

- The **document frequency**,  $df_i$ , is the number of documents in which  $w_i$  appears.
  - **Meaningful** words may occur repeatedly in a **related** document, but **functional** (or less meaningful) words may be **distributed** evenly over **all** documents.

Word	Collection frequency	Document frequency
<i>kernel</i>	10,440	3997
<i>try</i>	10,422	8760

- E.g., *kernel* occurs about as often as *try* in total, but it occurs in fewer documents – it is a more **specific** concept.

# Inverse document frequency

- Very specific words,  $w_i$ , would give **smaller** values of  $df_i$ .
- To maximize specificity, the **inverse document frequency** is

$$idf_i = \log\left(\frac{D}{df_i}\right)$$

where  $D$  is the total number of documents and we scale with log, as before.

- This measure gives **full** weight to words that occur in 1 document, and **zero** weight to words that occur in all documents.

# tf.idf




- We combine the **term frequency** and the **inverse document frequency** to give us a joint measure of **relatedness** between words and documents:

$$tf.idf(w_i, d_j) = \begin{cases} (1 + \log(tf_{ij})) \log \frac{D}{df_i} & \text{if } tf_{ij} \geq 1 \\ 0 & \text{if } tf_{ij} = 0 \end{cases}$$



# Latent semantic indexing

- **Co-occurrence:** *n.* when two or more terms occur in the same documents more often than by chance.
  - Note: this is *not* the same as collocations
- Consider the following:

	Term 1	Term 2	Term 3	Term 4
 <b>Query</b>	natural	language		
 <b>Document 1</b>	natural	language	NLP	embedding
 <b>Document 2</b>			NLP	embedding

- Document 2 appears to be **related** to the query although it contains **none** of the query terms.
  - The query and document 2 are **semantically related**.

# Singular value decomposition (SVD)

- An SVD projection is computed by decomposing the term-by-document matrix  $A_{t \times d}$  into the product of three matrices:

$$T_{t \times n}, S_{n \times n}, \text{ and } D_{d \times n}$$

where  $t$  is the number of words (terms),



$d$  is the number of documents, and

$$n = \min(t, d).$$

- Specifically,

$$A_{t \times d} = T_{t \times n} S_{n \times n} (D_{d \times n})^T$$

# Singular value decomposition (SVD)



$$A' = U \cdot \Sigma \cdot V^*$$

# SVD example

$$A_{t \times d} = T_{t \times n} S_{n \times n} (D_{d \times n})^T$$

$$A =$$

	$d_1$	$d_2$	$d_3$	$d_4$	$d_5$	$d_6$
natural	1	0	1	0	0	0
language	0	1	0	0	0	0
processing	1	1	0	0	0	0
car	1	0	0	1	1	0
truck	0	0	0	1	0	1

$$T =$$

nat.	-0.44	-0.30	0.57	0.58	0.25
lang.	-0.13	-0.33	-0.59	0	0.73
proc.	-0.48	-0.51	-0.37	0	-0.61
car	-0.70	0.35	0.15	-0.58	0.16
truck	-0.26	0.65	-0.41	0.58	-0.09

$$S =$$

2.16	0	0	0	0
0	1.59	0	0	0
0	0	1.28	0	0
0	0	0	1	0
0	0	0	0	0.39

$$D^T =$$

$d_1$	$d_2$	$d_3$	$d_4$	$d_5$	$d_6$
-0.75	-0.28	-0.20	-0.45	-0.33	-0.12
-0.29	-0.53	-0.19	0.63	0.22	0.41
0.28	-0.75	0.45	-0.20	0.12	-0.33
0	0	0.58	0	-0.58	0.58
-0.53	0.29	0.63	0.19	0.41	-0.22

- What do these matrices mean?



# SVD example

$A =$

	$d_1$	$d_2$	$d_3$	$d_4$	$d_5$	$d_6$
natural	1	0	1	0	0	0
language	0	1	0	0	0	0
processing	1	1	0	0	0	0
car	1	0	0	1	1	0
truck	0	0	0	1	0	1

- $A$  is the matrix of term frequencies,  $tf_{ij}$ .
  - E.g., *natural* occurs once in  $d_1$  and once in  $d_3$ .

# SVD example

- Matrices  $T$  and  $D$  represent **terms** and **documents**, respectively in this *new* space.
  - E.g., the first row of  $T$  corresponds to the first row of  $A$ , and so on.

- $T$  and  $D$  are **orthonormal**, so all columns are orthogonal to each other and  $T^T T = D^T D = I$ .

$$T =$$

nat..	-0.44	-0.30	0.57	0.58	0.25
lang.	-0.13	-0.33	-0.59	0	0.73
proc.	-0.48	-0.51	-0.37	0	-0.61
car	-0.70	0.35	0.15	-0.58	0.16
truck	-0.26	0.65	-0.41	0.58	-0.09

$$D^T =$$

$d_1$	$d_2$	$d_3$	$d_4$	$d_5$	$d_6$
-0.75	-0.28	-0.20	-0.45	-0.33	-0.12
-0.29	-0.53	-0.19	0.63	0.22	0.41
0.28	-0.75	0.45	-0.20	0.12	-0.33
0	0	0.58	0	-0.58	0.58
-0.53	0.29	0.63	0.19	0.41	-0.22

# SVD example

- The matrix  $S$  contains the **singular values** of  $A$  in descending order.
  - The  $i^{th}$  singular value indicates the amount of variation on the  $i^{th}$  axis.

$$S = \begin{array}{|c|c|c|c|c|} \hline 2.16 & 0 & 0 & 0 & 0 \\ \hline 0 & 1.59 & 0 & 0 & 0 \\ \hline 0 & 0 & 1.28 & 0 & 0 \\ \hline 0 & 0 & 0 & 1 & 0 \\ \hline 0 & 0 & 0 & 0 & 0.39 \\ \hline \end{array}$$

# SVD example

- By restricting  $T$ ,  $S$ , and  $D$  to their first  $k < n$  columns, their product gives us  $\hat{A}$ , a 'best least squares' approximation of  $A$ .

$$S =$$

2.16	0	0	0	0
0	1.59	0	0	0
0	0	1.28	0	0
0	0	0	1	0
0	0	0	0	0.39


$$T =$$

cosm.	-0.44	-0.30	0.57	0.58	0.25
astro.	-0.13	-0.33	-0.59	0	0.73
moon	-0.48	-0.51	-0.37	0	-0.61
car	-0.70	0.35	0.15	-0.58	0.16
truck	-0.26	0.65	-0.41	0.58	-0.09

$$D^T =$$

	$d_1$	$d_2$	$d_3$	$d_4$	$d_5$	$d_6$
	-0.75	-0.28	-0.20	-0.45	-0.33	-0.12
	-0.29	-0.53	-0.19	0.63	0.22	0.41
	0.28	-0.75	0.45	-0.20	0.12	-0.33
	0	0	0.58	0	-0.58	0.58
	-0.53	0.29	0.63	0.19	0.41	-0.22


# SVD in practice



Rohde *et al.* (2006) An Improved Model of Semantic Similarity Based on Lexical Co-Occurrence. *Communications of the ACM* 8:627-633.

# Neural embeddings revisited

- We can use neural embeddings for words *and* documents
  - Use term-document matrix, but swap out SVD for NNs.
  - Small amounts of **labeled** data can be used to fine-tune.



Mitra B, Craswell N. (2017) Neural Models for Information Retrieval. <http://arxiv.org/abs/1705.01509>

Zhang Y, Rahman MM, Braylan A, *et al.* (2016) [Neural Information Retrieval: A Literature Review](#)

# Neural embeddings revisited

- Global word embeddings risk capturing only coarse representations of topics dominant in the corpus.

global	local
cutting	tax
squeeze	deficit
reduce	vote
slash	budget
reduction	reduction
spend	house
lower	bill
halve	plan
soften	spend
freeze	billion

Figure 3: Terms similar to 'cut' for a word2vec model trained on a general news corpus and another trained only on documents related to 'gasoline tax'.


Diaz F, Mitra B, Craswell N. (2016) Query Expansion with Locally-Trained Word Embeddings, Proc. of ACL, 367–77. [doi:10.18653/v1/P16-1035](https://doi.org/10.18653/v1/P16-1035)

# Aside – query expansion

- **Query expansion** involves reweighting likelihoods, usually through **deleted interpolation**:

$$p_q^1(w) = \lambda p(w) + (1 - \lambda) p_{q^+}(w)$$

- $p_{q^+}$  comes from taking the  $|\mathcal{V}| \times k$  term embedding matrix  $U$  and the  $|\mathcal{V}| \times 1$  query term vector  $q$ , taking the top terms from  $UU^\top q$ , and normalizing their weights.




Diaz F, Mitra B, Craswell N. (2016) Query Expansion with Locally-Trained Word Embeddings, Proc. of ACL, 367–77. [doi:10.18653/v1/P16-1035](https://doi.org/10.18653/v1/P16-1035)



Responding realistically and consistently  
**STIMULUS/RESPONSE**

# Let me Bing that for you



Speech and Language Processing. Daniel Jurafsky & James H. Martin. Copyright 2017. All rights reserved. Draft of August 7, 2017.

# Amnesic objective functions

- Simply mapping **source** to **target** results in interaction that is only as good as its last input.

$$Loss = -\log P(\mathit{target}|\mathit{source})$$

- **Generic responses** become common,  
i.e., *target* = “Let me search the web for that”
- Trying to maximize **mutual information** improves things, but not by much.

$$I(T; S) = \sum_{T, S} p(T, S) \log_2 \frac{p(T, S)}{p(T)p(S)}$$

# Amnesic objective functions

<b>Input: What are you doing?</b>	
-0.86 I don't know.	-1.09 Get out of here.
-1.03 I don't know!	-1.09 I'm going home.
-1.06 Nothing.	-1.09 Oh my god!
-1.09 Get out of the way.	-1.10 I'm talking to you.
<b>Input: what is your name?</b>	
-0.91 I don't know.	---
-0.92 I don't know!	-1.55 My name is Robert.
-0.92 I don't know, sir.	-1.58 My name is John.
-0.97 Oh, my god!	-1.59 My name's John.
<b>Input: How old are you?</b>	
-0.79 I don't know.	---
-1.06 I'm fine.	-1.64 Twenty-five.
-1.17 I'm all right.	-1.66 Five.
-1.17 I'm not sure.	-1.71 Eight.

$$P(T|S)$$

<b>Input: What are you doing?</b>	
1. I've been looking for you.	4. I told you to shut up.
2. I want to talk to you.	5. Get out of here.
3. Just making sure you're OK.	6. I'm looking for a doctor.
<b>Input: What is your name?</b>	
1. Blue!	4. Daniel.
2. Peter.	5. My name is John.
3. Tyler.	6. My name is Robert.
<b>Input: How old are you?</b>	
1. Twenty-eight.	4. Five.
2. Twenty-four.	5. 15.
3. Long.	6. Eight.

$$I(T; S)$$

From Jiwei Li, Stanford


# Let me actually answer that for you



Speech and Language Processing. Daniel Jurafsky & James H. Martin. Copyright 2017. All rights reserved. Draft of August 7, 2017.

# States of this belief

- Map utterances to **dialogue acts** and **beliefs** about the world.
  - Maintain (*and update\*!*) those beliefs. \* Humans can barely do this.



<https://dialogflow.com/docs/intro>

act type	inform* / request* / select <sup>123</sup> / recommend <sup>123</sup> / not found <sup>123</sup> request booking info <sup>123</sup> / offer booking <sup>1235</sup> / inform booked <sup>1235</sup> / decline booking <sup>1235</sup> welcome* / greet* / bye* / reqmore*
slots	address* / postcode* / phone* / name <sup>1234</sup> / no of choices <sup>1235</sup> / area <sup>123</sup> / pricerange <sup>123</sup> / type <sup>123</sup> / internet <sup>2</sup> / parking <sup>2</sup> / stars <sup>2</sup> / open hours <sup>3</sup> / departure <sup>45</sup> destination <sup>45</sup> / leave after <sup>45</sup> / arrive by <sup>45</sup> / no of people <sup>1235</sup> / reference no. <sup>1235</sup> / trainID <sup>5</sup> / ticket price <sup>5</sup> / travel time <sup>5</sup> / department <sup>7</sup> / day <sup>1235</sup> / no of days <sup>123</sup>

Mrkšić N, Séaghdha DÓ, Wen T-H, et al. (2016) Neural Belief Tracker: Data-Driven Dialogue State Tracking. <http://arxiv.org/abs/1606.03777>




<i>Core dialog acts</i>	
Info-request	Speaker wants information from addressee
Action-request	Speaker wants addressee to perform an action
Yes-answer	Affirmative answer
No-answer	Negative answer
Answer	Other kinds of answer
Offer	Speaker offers or commits to perform an action
ReportOnAction	Speaker notifies an action is being/has been performed
Inform	Speaker provides addressee with information not explicitly required (via an Info-request)
<i>Conventional dialog acts</i>	
Greet	Conversation opening
Quit	Conversation closing
Apology	Apology
Thank	Thanking (and down-playing)
<i>Feedback/turn management dialog acts</i>	
Clarif-request	Speaker asks addressee for confirmation/repetition of previous utterance for clarification.
Ack	Speaker expresses agreement with previous utterance, or provides feedback to signal understanding of what the addressee said
Filler	Utterance whose main goal is to manage conversational time (i.e. speaker taking time while keeping the turn)
<i>Non-interpretable/non-classifiable dialog acts</i>	
Other	Default tag for non-interpretable and non-classifiable utterances

Dinarelli M, Quarteroni S, Tonelli S. (2009) Annotating spoken dialogs: from speech segments to dialog acts and frame semantics. *Proc 2nd Work Semant Represent Spok Lang 2009*;:34–41.

<http://dl.acm.org/citation.cfm?id=1626301>

# State of this belief

- Use **reinforcement learning** to make these explicit.




Li J, Monroe W, Ritter A, *et al.* (2017) Deep Reinforcement Learning for Dialogue Generation.

[doi:10.18653/v1/S17-1008](https://doi.org/10.18653/v1/S17-1008)





# Aside – RL in dialogue




Chinaei H, Currie LC, Danks A, *et al.* (2017) Identifying and avoiding confusion in dialogue with people with Alzheimer's disease. *Computational Linguistics* **43**:377–406.

# Aside – RL in dialogue

- Challenge 1 : data is limited in a particular domain  
Solution 1 : learn a distributed architecture with Gaussian priors
- Challenge 2 : Estimates of  $Q$  aren't shared across different domains  
Solution 2 : Use a Bayesian 'committee machine'





Gašić *et al* (2015) Distributed dialogue policies for multi-domain statistical dialogue management, ICASSP, <https://ieeexplore.ieee.org/stamp/stamp.jsp?tp=&arnumber=7178997>

Gašić *et al* (2015) Policy Committee for adaptation in multi-domain spoken dialogue systems, 

# Aside – RL in dialogue

- ACER learns an ‘off policy’ gradient  $\nabla J$  and modified loss  $\nabla L$ .
  - Avoid bias through replaying experience



The off-policy version of the Policy Gradient Theorem [30] is used to derive the gradients  $\nabla_{\omega} J(\omega) \approx g(\omega)$ :

$$g(\omega) = \sum_{b \in \mathcal{B}} d^{\mu}(b) \sum_{a \in \mathcal{A}} \nabla_{\omega} \pi(a|b) Q_{\pi}(b, a) \quad (1)$$

$$\nabla L(\theta) = \nabla_{\theta} (Q^{ret} - Q_{\theta}(\mathbf{b}, a))^2$$

$$Q^{ret} = Q(\mathbf{b}, a) + \mathbb{E}_{\mu} \left[ \sum_{t \geq 0} \gamma^t \left( \prod_{s=1}^t \lambda \min(1, \rho(a_s | \mathbf{b}_s)) \right) (r_t + \gamma V(\mathbf{b}_{t+1}) - Q(\mathbf{b}_t, a_t)) \right]$$

From Milica Gašić, Cambridge

Weisz, Budzianowski, Su, Gašić, (2018) Sample efficient deep reinforcement learning for dialogue systems with large action spaces, IEEE TASLP <https://arxiv.org/pdf/1802.03753.pdf>

# Aside – RL in dialogue

What is the main floor material in your house?

Earth/sand

Is your residential area Urban or Rural?

Urban

Do you own a television?

No


Which region of Kenya do you live in?

Nyanza

POSITIVE: your answers are characteristic of individuals who test positive for malaria.

Rajpurkar *et al* (2017) Malaria Likelihood Prediction By Effectively Surveying Households Using Deep Reinforcement Learning. *ML4H*.

# End-to-end ~~translation~~ dialogue systems



Serban I V., Sordoni A, Bengio Y, et al. (2015) Building End-To-End Dialogue Systems Using Generative Hierarchical Neural Network Models.

Extensions exist that add **variational encoding** or **diversity-promoting objective functions** to avoid Siri-like repetitiveness repetitiveness.

# End-to-end dialogue systems

- **Claim:** “we view our model as a **cognitive system**, which has to carry out natural language **understanding, reasoning, decision making**, (*sic*) and natural language generation”.
- **Objective:** Perplexity (where  $U$  is an utterance)...

$$\exp \left( -\frac{1}{N_w} \sum_{n=1}^N \log P_{\theta}(U_1^n, U_2^n, U_3^n) \right)$$

Serban I V., Sordoni A, Bengio Y, et al. (2015) Building End-To-End Dialogue Systems Using Generative Hierarchical Neural Network Models.

- **Overhype** *vb.* make exaggerated claims about (a product, idea, or event) ; publicize or promote excessively

# EVALUATION



# Qualitative evaluation



*People (sometimes) like cute things that are smaller than they are.*

mjberry  
@mjberry  
Thanks for coming to #kyleandjulia wedding in #golden  
@hitchBOT, bride enjoyed the dance! #hitchbot  
4:21 AM - 10 Aug 2014



# Corpora for dialogue

Metric	DSTC2	SFX	WOZ2.0	FRAMES	KVRET	M2M	MultiWOZ
# Dialogues	1,612	1,006	600	1,369	2,425	1,500	<b>8,438</b>
Total # turns	23,354	12,396	4,472	19,986	12,732	14,796	<b>115,424</b>
Total # tokens	199,431	108,975	50,264	251,867	102,077	121,977	<b>1,520,970</b>
Avg. turns per dialogue	14.49	12.32	7.45	<b>14.60</b>	5.25	9.86	13.68
Avg. tokens per turn	8.54	8.79	11.24	12.60	8.02	8.24	<b>13.18</b>
Total unique tokens	986	1,473	2,142	12,043	2,842	1,008	<b>24,071</b>
# Slots	8	14	4	<b>61</b>	13	14	25
# Values	212	1847	99	3871	1363	138	<b>4510</b>

Table 1: Comparison of our corpus to similar data sets. Numbers in bold indicate best value for the respective metric. The numbers are provided for the training part of data except for FRAMES data-set where such division was not defined.

- [Ubuntu dialogue corpus](#) and [AMI Meeting corpus](#) are also popular.

Budzianowski P, Wen T-H, Tseng B-H, *et al.* (2018) MultiWOZ - A Large-Scale Multi-Domain Wizard-of-Oz Dataset for Task-Oriented Dialogue Modelling <http://arxiv.org/abs/1810.00278>

# Evaluating end-to-end dialogue

- *PyDial* ([pydial.org](http://pydial.org)) is an open-source Python toolkit for dialogue evaluation.
  - Domain-independent
- Crowd sourcing (e.g., Mechanical Turk)?
  - Gather many responses to input by humans,
  - Learn to **generate** responses
  - Learn to **discriminate** real from fake.

```
For number of training iterations do
.   For i=1,D-steps do
.       Sample (X,Y) from real data
.       Sample  $\hat{Y} \sim G(\cdot|X)$ 
.       Update  $D$  using  $(X, Y)$  as positive examples and
.        $(X, \hat{Y})$  as negative examples.
.   End
.
.   For i=1,G-steps do
.       Sample (X,Y) from real data
.       Sample  $\hat{Y} \sim G(\cdot|X)$ 
.       Compute Reward  $r$  for  $(X, \hat{Y})$  using  $D$ .
.       Update  $G$  on  $(X, \hat{Y})$  using reward  $r$ 
.       Teacher-Forcing: Update  $G$  on  $(X, Y)$ 
.   End
End
```

Figure 1: A brief review of the proposed adversarial reinforcement algorithm for training the generator  $G$  and discriminator  $D$ . The reward  $r$  from the discriminator  $D$  can be computed using different strategies according to whether using REINFORCE or REGS. The update of the generator  $G$  on  $(X, \hat{Y})$  can be done by either using Eq.2 or Eq.3. D-steps is set to 5 and G-steps is set to 1.

Ultes, Rojas-Barahona, Su, *et al* (2017) PyDial: A Multi-domain Statistical Dialogue System Toolkit, ACL, <https://www.aclweb.org/anthology/P17-4013>

Casanueva, Budzianowski, Su, *et al* (2017) A Benchmarking Environment for Reinforcement Learning Based Task Oriented Dialogue Management, NIPS Symposium on Deep RL

Li J, Monroe W, Shi T, *et al.* (2017) Adversarial Learning for Neural Dialogue Generation. EMNLP, <http://arxiv.org/abs/1701.06547>

# Evaluating end-to-end dialogue

<b>Input</b>	tell me ... how long have you had this falling sickness ?
<b>Vanilla-SEQ2SEQ</b>	i'm not a doctor.
<b>Adversarial</b>	a few months, i guess .
<b>Input</b>	so i had the doctors test sammy 's response to conditioning .
<b>Vanilla-SEQ2SEQ</b>	sammy wrote the test sammy wrote the test .
<b>Adversarial</b>	so he took the pills .

- Evaluating according to scores like **BLEU** or **ROUGE** usually require lots of (expensive) **references**.
- Contribution of **fidelity** can be overwhelmed by **naturalness**.
- Even still, scores don't correlate *at all* with human judgements.

Li J, Monroe W, Shi T, *et al.* (2017) Adversarial Learning for Neural Dialogue Generation.  
EMNLP, <http://arxiv.org/abs/1701.06547>

# Evaluating end-to-end dialogue





Figure 1: Scatter plots showing the correlation between metrics and human judgements on the Twitter corpus (a) and Ubuntu Dialogue Corpus (b). The plots represent BLEU-2 (left), embedding average (center), and correlation between two randomly selected halves of human respondents (right).

Liu C-W, Lowe R, Serban I V., *et al.* (2016) How NOT To Evaluate Your Dialogue System: An Empirical Study of Unsupervised Evaluation Metrics for Dialogue Response Generation. <http://arxiv.org/abs/1603.08021>



Goodbye