
MERGESORT

Sorting Recursively

Do you remember any iterative sorting methods? How fast are they?

Can we produce a good sorting method by thinking recursively?

We try to divide and conquer: break into sub-problems and put their solutions together.

315

316

Divide and Conquer

Let's try it on the following list of letters:

P E N G U I N S

Break it into two lists:

P E N G
U I N S

Sort them:

E G N P
I N S U

Is putting these two lists together easier than sorting the whole list?

Merging

Combining two sorted lists into one sorted list is called **merging**.

E G N P
I N S U

Starting at the front of both lists, we keep picking the smallest letter:

E G N P
I N S U

G N P
I N S U

G N P
N S U

etc.

317

318

Code for Mergesort

We'll implement it for arrays. We only care about the order of elements so we assume only that the elements are `Comparable`.

Also, we'll try sorting the array 'in place', rather than creating a new array to contain the result.

```
/** Sort list[s..e] in non-decreasing order. */
public static void mergeSort(Comparable[] list,
                             int s,
                             int e) {

    if (s < e) { // More than one element

        int mid = (s + e) / 2;
        mergeSort(list, s, mid);
        mergeSort(list, mid + 1, e);

        ...merge list[s..m] and list[m+1..e]
        into list[s..e]...

    } // else just 1 element, so already sorted.
}
```

319

Header for Merge

Let's make it a helper method.

What header should it have? Imagine calling it from `mergeSort`:

```
merge(list, s, mid, e);
```

This gets us started with the header.

```
/** Merge list[s..m] with list[m+1..e].
 * Requires: the two sublists are sorted
 * in non-decreasing order.
 * Ensures: list[s..e] is sorted. */
private static void merge(Comparable[] list,
                          int s,
                          int m,
                          int e)
```

321

Except possibly for the merge portion, this was very simple to write. What can we do to understand how it works?

- if the recursive calls work, the method will clearly work
- trace it

Exercise: Write a `requires` clause for the method.

Exercise: Write a wrapper method for the common case of mergesorting an entire array.

Exercise: Would `mergeSort` still work if the two recursive calls were:

```
mergeSort(list, s, mid-1);
mergeSort(list, mid, e);
```

320

Body of Merge

```
int p1 = s; // index of current candidate in list[s..m]
int p2 = m + 1; // index of current candidate
              // in list[m+1..e]
```

```
// Temporary storage to accumulate the merged result.
Comparable[] merged = new Comparable[e - s + 1];
int p = 0; // index to put next element into merged
```

```
// merged[0..p] contains list[s..p1-1] merged
// with list[m+1..p2-1]
while (p1 != m + 1 && p2 != e + 1) {
    if (list[p1].compareTo(list[p2]) < 0) {
        merged[p] = list[p1];
        ++p1;
    } else {
        merged[p] = list[p2];
        ++p2;
    }
    ++p;
}
```

... to be continued ...

What's true at the end of the while loop?

What's left to do?

322

```

/*
                                     */
if (p1 != m + 1) {
    System.arraycopy(list, p1,
                     list, s + p,
                     m + 1 - p1);
}
System.arraycopy(merged, 0, list, s, p);

```

Exercise: Finish the requires clause for the method.

Exercise: If we had copied the remainder of the unfinished sublist to `merged` and then copied all of `merged` back to `list`, would that have changed the big- O time complexity?

323

Efficiency of Sorting Methods

What sorting methods other than mergesort do you know? How efficient are they?

Let's see how merge sort compares.

With loops, we know how to analyze efficiency. What to do with recursion?

Strategy: Determine (1) the total number of calls to `mergeSort` and (2) the time per call. Multiply them together.

325

Exercise: Rewrite `mergeSort` and `merge` to follow the Java convention for ranges: passing `s` and `e` as the start and end of a sublist of `list` means `list[s..e)` (i.e. `list[s..e-1]`).

Exercise: Write a recursive merge method.

Exercise: Write a mergesort for linked lists.

Exercise: Does the following approach to an in-place merge work: If the next element is in the first list, then leave it there and move forward in the first list, otherwise swap it with the next element in the second list and move forward in both lists.

324

(1) Number of Calls to `mergeSort`

Suppose we call `mergeSort` with a list of 8 elements. What happens?

Number of calls in total:

326

Other sizes of list

Let $C(n)$ be the total number of calls to `mergeSort` if it is called initially with a list of n elements.

We know $C(8) = 15$.

Determine $C(n)$ for some other values of n .
To make it easier, consider only powers of 2.

Results:

n	1	2	4	8	16	...
$C(n)$						

General rule:

327

Proving the rule

We only derived the rule for powers of two, so the theorem should only make its claim for powers of 2:

Theorem: for $n \geq 1$ any power of 2,
 $C(n) = 2n - 1$.

An equivalent theorem:

Theorem: for all integers $p \geq 0$,
 $C(2^p) = 2 \times 2^p - 1$.

Let's prove it, by induction on p .

328

Prove: For all integers $p \geq 0$, $C(2^p) = 2 \times 2^p - 1$.

Base Case: Prove $C(2^0) = 2 \times 2^0 - 1$.

Consider a call to `mergeSort` with a list of length $2^0 = 1$.
The if condition fails and we immediately return.
The total number of calls is thus just 1.
Therefore $C(2^0) = 1$ which is the same as $2 \times 2^0 - 1$.

Let k be an arbitrary integer ≥ 0 .

Induction Hypothesis: Assume $C(2^k) = 2 \times 2^k - 1$.

Induction Step: Prove $C(2^{k+1}) = 2 \times 2^{k+1} - 1$.

Consider a call to `mergeSort` with a list of length 2^{k+1} .
Since $k \geq 0$, $2^{k+1} \geq 2$.
So the if-condition succeeds, and we make two recursive calls.
Each call involves $2^{k+1}/2 = 2^k$ elements.
By the induction hypothesis, $C(2^k) = 2 \times 2^k - 1$.
So each recursive call causes a total of $2 \times 2^k - 1$ calls.
The total number of calls, for an initial list of length 2^{k+1}

$$= 1 + 2(2 \times 2^k - 1)$$

$$= 1 + 2(2^{k+1} - 1)$$

$$= 1 + 2 \times 2^{k+1} - 2$$

$$= 2 \times 2^{k+1} - 1$$
Thus $C(2^{k+1}) = 2 \times 2^{k+1} - 1$.

Conclusion: For all integers $p \geq 0$, $C(2^p) = 2 \times 2^p - 1$.

329

(2) Time per call

We now know the total number of calls made to `mergeSort`.

Let's figure out the time required per call so that we can put it all together.

In big- O terms, how much time is required to execute a call to `mergeSort` on a list of n items?


Immediate problem: The size of the list is different every time we recurse.

Hm.

330

Another way to analyze mergeSort

Do you notice anything about the rows in the tree of calls?



331

Comparing with other sorts

Many familiar sorts are $O(n^2)$ in the worst case, including:

bubble sort, selection sort, insertion sort

Some other sorts are $O(n \log n)$ in the worst case (like mergesort), for example heap sort.

But that's only part of the story. We also care about

- the *average* case.
This is much harder to determine, because it requires arguing about the probability of seeing various cases.
- special cases, such as a list that is only slightly out of sorted order, is already sorted, or is sorted in the reverse order.

333

Analysis of mergeSort

How much time is required to merge two sorted lists into one list with total size s ?

So how much time in total is required for all the merging in any single row? How many rows are there?

So what is the total amount of time required?

Exercise: What effect would it have on the time required for mergesort if we split the list into 3 pieces instead of 2?

Exercise: How much time would a (good version of) mergesort take for linked lists?

332

Analysis of Recursive Code

Our analysis of mergeSort required us to unwind the recursion. If you truly understand recursive code, you don't have to unwind it in order to understand or analyze it (but it's ok to unwind it).

Recurrence relations are suited to analyzing efficiency of recursive code:

REC RELN	CODE
initial condition	↔ degenerate case
general rule	↔ recursive case

Induction is suited to proving correctness of recursive code:

PROOF	CODE
base case	↔ degenerate case
induction step	↔ recursive case

334