


Commercial Minicomputers

\$10,000 to \$500,000
Proprietary hardware and software
- e.g. IBM AS/400, Compaq (DEC) VAX/VMS or Alpha/Open/VMS, HP MPE/IX
Often "black-box" systems.
Increasingly being replaced by UNIX- or Windows NT-based systems.
Multi-user machines.

### The "Openness" of a system is a measure of the ease by which one system can be replaced by a similar system from an entirely different manufacturer.

| Proprietary systems are available only from one vendor (e.g., the Apple macintosh).
|- Advantages: vendor provides everything; no finger-pointing!
|- Disadvantages: price gouging, complete vendor dependency, difficult migration, poor interoperability between vendors.
| "Open" systems are available from many vendors, e.g., the PC
|- Advantages: easy to change vendors, competition keeps prices lower, good interoperability between different vendors.
|- Disadvantages: confusing minor differences, finger-pointing.
| Few systems are entirely proprietary or entirely open.



| St. 1,000 to \$25,000. | Generally "Open" hardware, proprietary software. Hardware becoming a commodity. | Encroaching on Minicomputer and (to a lesser extent) the workstation and server marketplace. | Wintel (WINdows on inTEL) are the main players in this category; Apple competes in niche markets. | Generally single-user machines.

Wintel: MS Windows + Intel x86

Microsoft Windows NT

Server and desktop


Window system on top of VMS-derived OS.


Microsoft Windows 95/98/00

desktop only

Window system on top of DOS.

Both proprietary, single-user.





UNIX Derivatives on x86

Hybrid market: Workstation/Server-class software on x86 hardware.

Both Commercial and Free options exist.

- Commercial: Sun Solaris x86, SCO Unixware, BSDI.

- Free: Linux, FreeBSD, OpenBSD, NetBSD

Free UNIX derivatives (Linux, BSD) on Intel x86 with source code are true glass-box systems.

Commercial vendors for Free UNIX exist.

Inroads being made in both microcomputer and workstation marketplaces.

Java and Network Computers

Java concept: compile-once run-everywhere.

Network computer concept: stateless small microcomputer autodownloads and uses software and data as needed from network.

Java popular for network computers.

Java used on wide range of systems, from workstations to embedded systems.

Networking

The Network is the Computer - Sun Microsystems

Networking is a major component of almost every modern computer system.

- Client-Server
- Internet and Intranet
- Remote Office / Work-from-home

Key Networking Areas
- Local Area Network = short-distance (in-building)
- Backbone = medium-distance (campus)
- Wide Area Network = long-distance
- Remote Access = via phone/cable TV/satellite

Local Area Network (LAN)

Connects machines within a single building/group
Ethernet (copper)
Available in 10 and 100 Mb versions (1Gb using fibre)
Inexpensive, widely used.
Token Ring
Available in 4 and 16Mb versions
Rarely used except by IBM
ATM (copper)
155 Mb (622Mb using fibre)
Expensive, complex, flexible, high-overhead.

Switch or shared hub.

Backbone Network

Connect multiple groups, buildings.

100Mb (fibre) or Gb Ethernet
Fast, inexpensive, simple
FDDI
Old 100Mbit technology, increasingly obsolete

ATM
155Mb, 622Mb
Expensive, powerful, flexible, complex, high-overhead
Switched or Routed

Wide Area Network (WAN)

Networking over long distances
— ATM, Frame Relay, T1/T3, etc.

A WAN interconnects LANs/backbones in different locations, e.g. different cities.

Internet is an interconnected set of public WANs

Long-distance lines typically leased from e.g. telephone company.

Satellite link sometimes used.

Usually routed.

Remote Access

Accessing a LAN or the Internet via phone/cable TV service.


Work from home

Access when travelling


Home internet service/personal web browsing


Usually PPP over modem or cable modem.

DSL services now available in some places.











Understand Your Own Needs

I Hardware resources needed
CPU, memory size, memory bandwidth, I/O, disk space, etc.
Software/OS resources needed
application availability, OS scalability
Networking resources needed
network bandwidth, latency, remote access.
Human Resources needed
OS expertise, hardware expertise, system administration requirements, user training/help desk requirements.
Other needs
security, reliability, disaster recovery, uptime requirements.

Understand Your Own Resources

Available funds
Existing hardware, software, and networking resources.
Existing staff and their expertise
Adding a system for which existing staff have no expertise requires training and/or hiring.
A new system which is difficult to administer or support may have a negative impact on existing staff.
Special relationships or similar considerations
is there a special relationship with a vendor, reseller or other third party which makes a particular system choice more attractive?

Understand Available Options

Are desired resource requirements feasible on a given system?
Are they feasible only at great expense?

What is the up-front cost of an appropriately configured system?
What is the ongoing cost? What impact will it have on existing resources?

What is the project schedule? How quickly can it be implemented? Will it be implemented in time?

How mature is the proposed system technology? Is it too new to be stable? Is it likely to become obsolete soon?

Understanding Minicomputers

Expensive to buy, expensive to maintain (vendor has customers "locked-in").

If turn-key solution from vendor or reseller is available, very little staff expertise may be required.

Computing model is generally a single multi-user machine or small cluster of such machines, with connected terminals. Network is often incidental, although increasingly used to connect terminals to machine(s).

Central machine resources are more expensive, but one big machine is easier to administer than many smaller ones.

Understanding Workstations

Relatively expensive but powerful. Multi-vendor availability allows mixing and matching equipment from different vendors, although with some staffing costs.

Both minicomputer (single multi-user machine) and microcomputer (many single-user machines) models are feasible, as well as combinations of the two.

Networking decision is critical, because of the key role of networking in this type of system.

Expertise availability needs to be carefully considered.

Servers can support PCs as well as workstations.

Understanding Microcomputers

Hardware is very inexpensive and widely available.

Resource requirements need to be carefully considered because of software and hardware limitations.

Machines are single-user. "PC Servers" act as "network disks" or "network printers". Software runs on a single computer for a single user, unless specifically designed to be "client-server".

Staff with basic knowledge of PCs are widely available, but deep knowledge is hard to find.

PC administration can be difficult to automate, scale.

Understanding UNIX on x86

If it runs a single-user operating system like Windows or MacOS, it is a PC, not a workstation, even if the vendor calls it one.

If the same hardware runs a UNIX derivative or other true multiuser OS, it is a workstation even if the vendor calls it a PC.

Windows NT is capable of being a multi-user operating system but it is almost never configured or used that way.

UNIX on x86 (e.g. Linux) shares the expansion limits and low costs of the PC world and the flexibility, networking issues and staff expertise issues of the workstation world.

Pattorn Selection → 3

Understanding Java and NCs

Technology is new and relatively immature.

NCs are cheap but require more server resources than PCs.

Java software has the potential to run equally well on NCs, PCs, Workstations and even minicomputers. This provides great future flexibility.

Java expertise is in great demand.

A network of NCs is very easy to administer. All critical state is in one place (server).

Understanding Networking

If remote access is an issue, recognize limited bandwidth.

Use switched ethernet over copper for LAN, and over fibre for backbone, unless there is a good reason not to.

Choose WAN technology based on cost and availability.

Minimize data transfer over remote access lines (modems) and WAN links as much as possible.

Across-the-Internet connections are not secure. Use encryption if secure data (e.g. passwords) need to be transmitted.

Important General Principles

Important General Principles

Minimize distributed state.

Put the network between the components that communicate the least, especially for slow networks.

Compute ongoing costs as well as up-front.

Schedule is important: there is no substitute for calendar time.

| "State" is valuable non-replicated data. If "state" is distributed across many machines, it is difficult to make sure it isn't lost (reliability) or stolen (security).
| Why?
| System administration/support.
| Reliability/robustness
| Security
| How?
| Use desktop disks for OS/application software, temporary space, rather than data.
| Use fewer, larger servers where practical. Centralize data.
| Centralize system administration as much as possible.
| Invest in network so that central resources are more readily accessible.

Why?

Network bandwidth is much less than bandwidth inside machine. Performance will suffer if the system components which communicate the most must do so over a network.

How?

When doing heavy I/O, especially database I/O, avoid network disks (SMB, NFS).

Do not use remote displays for heavily graphical applications.

Use a large multiprocessor instead of several small machines when inter-process bandwidth is important.

Remote Access is not always a sufficient substitute for a LAN.

If high-bandwidth communication must traverse network, maximize the network bandwidth between those systems.

Compute Operating Costs

Why?

Ongoing staff, maintenance costs can dwarf up-front costs.

Ongoing costs are often ignored or downplayed. This is unwise.

How?

Use staff salary and benefits to compute dollar costs of staff time.

Use estimated interest rate to approximate the value of future money in today's dollars.

Why?
 In IT, delays can have enormous costs.
 One cannot make up for missing time by adding people.
 How?
 Consider both time and money costs for staff training, hiring.
 Schedule realistically.
 Avoid excessively complex systems.
 Be skeptical of vendor marketing promises.
 Be careful if a technology is new and/or immature.

Example: University Teaching Lab

Ilike University wants to install an engineering teaching lab. They have good staff already, with considerable expertise. There is increasing interest in Java. However, money is limited.

Their options include Java network computers, engineering workstations and/or PCs. PCs are too inflexible, engineering workstations are too expensive, and Java NCs are too new to be good choices.

Ilike U. buys a multiprocessor UNIX server where most of the data is stored, a fast network, a few workstations for specialized purposes, and a bunch of PCs, some of which are running Linux. Both PCs and workstations are served from the UNIX server.

What's Good About This Solution?

This example shows the following:

The effectiveness of taking into account one's existing resources (good staff).

Combining multiple options (workstations, PCs) in clever ways.

Taking advantage of UNIX on x86

Centralizing "state" by putting it on a central UNIX server.

Positioning network wisely by providing a few workstations for graphically intensive workloads and a multiprocessor server for parallel scientific and/or I/O intensive workloads.

Example: Furniture Design

The Siddown chair factory in Whatchamacallit, Yukon builds quality pine chairs for shipment all over the world. Unfortunately, the Avaseat chair company, their fiercest competitor, has just released a new line of pine chairs that could put Siddown Co. out of business. The company has decided to buy computers for their six chair designers, to help them design a new line of chairs more quickly.

The Siddown company decides to buy six Windows NT PCs with CAD software, a small ethernet switch and a Windows NT fileserver, where all the chair designs are stored. While workstations are often used for CAD and could potentially do the job well, UNIX expertise is hard to find in Whatchamacallit, and Siddown would have to pay high salaries to bring in someone from outside, while training someone locally would take too long.

What's Good About This Solution?

This example shows the following:

Taking into account the schedule for the project (e.g. the enormous opportunity costs, in this case the bankruptcy of the business, if there are delays).

Taking into account the availability of human resources (e.g. it can be hard to find UNIX experts in the Yukon).

Centralizing state on an NT server rather than distributing the designs among the different PCs of the different designers.

Example: Warehouse Inventory ■ The Keepawhile storage company has been very successful, and now needs a new inventory system for their four warehouses in two cities. All data needs to be accessible at all ■ Rather than keep a separate database in each warehouse, the Rather than keep a separate database in each warehouse, the Keepawhile company decides to buy a single machine, a turn-key inventory system running on an IBM AS/400. They use leased telephone lines and modems to connect terminals in all four warehouses to the central machine. The fact that the system is turn-key allows them to run it with a minimum of staff. The ongoing staff cost savings far outweighs the initial cost of

the system or its ongoing maintenance cost.

What's Good About This Solution? This example shows the following: Cost savings of taking human resources into account. ■ Centralizing state/data. Positioning "network" wisely (in this case, avoiding a network altogether and putting everything on one machine).

Think for Yourself "Jumping on the Bandwagon" is endemic in the IT industry. 1979 industry quip: "Nobody ever got fired for buying IBM". 1999 version: "Nobody ever got fired for buying Microsoft". ■ Why? Ignorance, fear, hybris, misleading marketing, lack of management accountability. ■ Pick what works well, not what "everyone else is doing". ■ Learn about all the available options, not just the trendiest. Question vendor and "industry analyst" claims.