

Shell Review

Shell is a simple process:

- prompt
- input and parse command
- cause specified command to be executed
- repeat

Some user-friendly features:

- aliases, filename expansion, job numbers

Paths

Path: a list of directories to look up commands to be executed

– csh: set path = (a b c)

– sh: PATH=a:b:c

```
$ echo $PATH
```

```
/local/bin:/usr/ucb:/bin:/usr/bin
```

I/O Redirection

- `command < file` input
- `command > file` output to new file
- `command >> file` append to file
- `command <<token` “here is the file”

```
$ wc -w <<EOF
This is the file
EOF
```

Subshells

- Parentheses group commands to be executed in a subshell
 - Work just like operator-precedence parentheses
 - “;” separates sequence of commands

```
( a i b i c ) | sort
```

Temporary Files

- Common for shell scripts to use temporary files
 - put in `/tmp` (cleaned out periodically)
 - should have unique name (use `$$`, shell PID)
 - include script name in filename

eg. `/tmp/myscript$$`

Some Other Shell Variables

- `$*` - expand to all params as a string
- `$@` - expand to all params quoted
 - if we run `$ prog file1 "file 2"`
 - `"$*"` expands to `"file1 file 2"`
 - `"$@"` expands to `"file1" "file 2"`
- `$?` - exit status of last command