

Structs

- A collection of related data items

```
struct record {
    char name[MAXNAME];
    int count;
};
/* The semicolon is important! It terminates the declaration. */

struct record rec1; /*allocates space for the record */
strncpy(rec1.name, ".exe", MAXNAME);
struct record *rec2 = malloc(sizeof(*rec2));
strncpy(rec2->name, ".gif", MAXNAME);
```

1

structs as arguments

```
/* Remember: pass-by-value */
void print_record(struct record r) {
    printf("Name = %s\n", r.name);
    printf("Count=%d\n", r.count);
}
print_record(rec1);
print_record(*rec2);
```

2

Passing pointer or struct?

```
/* Incorrect */
void incr_record(struct record r) {
    r.count++;
}
/* Correct */
void incr_record(struct record *r) {
    r->count++;
}
```

3

Concrete Example

```
int stat(const char *file_name,
        struct stat *buf);

struct stat {
    dev_t      st_dev;      /* device */
    ino_t      st_ino;      /* inode */
    mode_t     st_mode;     /* protection */
    nlink_t    st_nlink;    /* number of hard links */
    uid_t      st_uid;      /* user ID of owner */
    gid_t      st_gid;      /* group ID of owner */
    dev_t      st_rdev;     /* device type (if inode device) */
    off_t      st_size;     /* total size, in bytes */
    blksize_t  st_blksize;  /* blocksize for filesystem I/O */
    blkcnt_t   st_blocks;   /* number of blocks allocated */
    time_t     st_atime;    /* time of last access */
    time_t     st_mtime;    /* time of last modification */
    time_t     st_ctime;    /* time of last change */
};
```

4

stat

- By calling the `stat` function on a filename you want to fill in the fields of the `struct stat`.
- You must pass in a pointer, and there must be space allocated!!!

```
struct stat sbuf;
if(stat("myfile", &sbuf) == -1) {
    perror("stat");
    exit(1);
}
printf("Owner = %d", sbuf.st_uid);
```

5

File Interfaces in Unix

- Unix has two main mechanisms for managing file access.
- **file pointers**: standard I/O library (Ch. 11)
 - You deal with a pointer to a `FILE` structure that contains a file descriptor and a buffer.
 - Use for regular files (more abstract and portable)
- **file descriptors**: low-level (Ch. 2)
 - Each open file is identified by a small integer.
 - Use for pipes, sockets.

6

stdin, stdout, stderr

- 3 files are automatically opened for any executing program:



	stdio name	File descriptor
Standard input	<code>stdin</code>	0
Standard output	<code>stdout</code>	1
Standard error	<code>stderr</code>	2

- Reading from `stdin` by default comes from the keyboard
- Writing to `stdout` or `stderr` by default goes to the screen.

7

Buffering

- **un-buffered** – output appears immediately
 - `stderr` is not buffered
- **line buffered** – output appears when a full line has been written.
 - `stdout` is line buffered when going to the screen
- **block buffered** – output appears when a buffer is filled.
 - normally output to a file is block buffered
 - `stdout` is block buffered when redirected to a file.

8

File Operations

Ch 2.3

- For regular files use: fopen, fread, fwrite, fprintf, fgets, fscanf, fclose.

```
FILE *fopen(const char *filename, const char *mode);
```

```
char *fgets(char *s, int size, FILE *stream);
```

- reads the next line from a file pointer
 - It reads at most size -1 characters
 - Reading stops after a newline or EOF
 - Appends a '\0' character at the end of the string.

Ch. 4.4

Using string functions

```
char *reverse_name(char *src) {
    int src_len = strlen(src), dest_len = 0;
    char *dest;
    char *sptr = strchr(src, ',');

    /* allocate space for return string */
    if ((dest = malloc(src_len+1)) == NULL) {
        return NULL;
    }
    /* Move past the comma and the spaces between
       the comma and the first name */
    sptr++;
    while(*sptr == ' ')
        sptr++;
```

11

Files, Strings

- Problem: Given a name in the format “Last, First”, return a string in the format “First Last”

```
char *reverse_name(char *src) {
    char *dest;
    char *sptr = strchr(src, ',');
    ...
    return dest;
}
```

- We'll first do an example with pointers.

```
/* Copy the first name to dest */
strncat(dest, sptr, strlen(src) + 1);

/* Add a space to the destination string */
dest_len = strlen(dest);
dest[dest_len] = ' ';
dest[dest_len + 1] = '\0';

/* Copy the last name from src to dest */
strncat(dest, src, src_len - dest_len - 1);
dest[src_len-1] = '\0';
return dest;
}
```

Spot the errors

10

12

Calling reverse_name

```
int main()
{
    char *sptr, name[MAX];

    while((sptr = fgets(name, MAX, stdin)) != NULL) {
        /* strip the newline */
        sptr = strchr(name, '\n');
        *sptr = '\0';
        printf("%s\n", reverse_name(name));
    }
    return 0;
}
```

Reading from
standard input

Spot the errors

13

Reading from a file?

- If we want to read from somewhere other than `stdin`, we need to open a file.
- How should we specify the filename?
 - `argv[0]` == name of program
 - `argv[1]` == first argument

```
int main(int argc, char **argv) {
    if(argc != 2)
        fprintf(stderr, "Usage: %s <filename>\n",
                argv[0]);
    exit(1);
}
```

14

stdio

- To open a file:

```
FILE *fopen(const char *filename,
            const char *mode);
```

 - `filename` identifies the file to open.
 - `mode` tells how to open the file:
 - "r" for reading, "w" for writing, "a" for appending
 - returns a pointer to a `FILE` struct which is the handle to the file. This pointer will be used in subsequent operations.
 - To close a file: `void fclose(FILE *stream);`

15

Example

```
int main(int argc, char **argv)
{
    char *sptr, name[MAX];
    FILE *fp;

    if(argc != 2) {
        fprintf(stderr, "Usage: do_reverse2 <file>\n");
        exit(1);
    }
    if((fp = fopen(argv[1], "r")) == NULL) {
        perror(argv[1]);
        exit(1);
    }
}
```

16

Example (cont'd)

```
while((sptr = fgets(name, MAX, fp)) != NULL) {
    /* strip the newline */
    sptr = strchr(name, '\n');
    *sptr = '\0';
    printf("%s\n", reverse_name(name));
}
return 0;
}
```

17

Error Handling

- Most system calls return -1 if an error occurs. (A few return NULL.)
- **errno** – global variable that holds the numeric code of the last system call.
- Every process has **errno** assigned to zero at process creation time.
- When a system call error occurs, **errno** is set.
- A successful system call never affects the current value of **errno**.
- An unsuccessful system call always overwrites the current value of **errno**.
- **Always check the return value of system calls!**

18

perror()

- Library routine:
- `void perror(char *str)`
- `perror` displays `str`, then a colon(:), then an English description of the last system call error as defined in `errno.h`.
- Protocol
 - check system calls for a return value of -1
 - call `perror()` for an error description.

19

Binary I/O

- Recall that `fgets` reads **characters**.
- By contrast, `fread` and `fwrite` operate on bytes.

```
size_t fread(void *ptr, size_t size,
             size_t nmemb, FILE *stream);
– read nmemb * size bytes into memory at ptr
```

```
size_t fwrite(const void *ptr, size_t size,
             size_t nmemb, FILE *stream);
– write nmemb * size bytes from ptr to the file
  pointer stream
```

20

Example

- It doesn't matter what the bytes contain!

```
/* write an integer to the file */
int num = 21;
n = fwrite(&num, sizeof(num), 1, fp);

/* write a struct to the file */
struct rec {
    string name[20];
    int num;
} r;
r.num = 42;
strncpy(r.name, "koala", 20);
n = fwrite(&r, sizeof(r), 1, fp);
```

21

Example

- We need to know how to interpret the bytes from a file when reading.

```
/* write an integer to the file */
int num;
n = fread(&num, sizeof(num), 1, fp);

/* write a struct to the file */
struct rec r;
n = fread(&r, sizeof(r), 1, fp);

/* display the contents of the variables */
printf("%d %s %d\n", num, r.name, r.num);
```

22

stat()

- `int stat(const char *file_name, struct stat *buf);`
- need to allocate memory for the `stat` struct before passing it to `stat`
- `struct stat` contains many fields including `st_mode`
- Useful macros: `S_ISREG(modefield)`, `S_ISDIR(modefield)`

23

stat()

```
struct stat sbuf;
if(stat(pathname, &sbuf) == -1) {
    perror("stat");
}
if(S_ISREG(sbuf.st_mode)) {
    printf("Regular file\n");
}
• There are also defined variables for each of the permission sets. For example:
if(sbuf.st_mode & S_IRUSR) {
    printf("Owner can read file\n");
}
```

24

Directory Operations

- Recall that a directory is a special kind of file.
- We can read directory entries using similar functions.
- For directories use:
DIR ***opendir**(const char *filename);
struct dirent ***readdir**(DIR *dirp);
- **readdir** works like fread on directory files. Each time readdir is called it returns a directory entry.

Ch. 4.4

Example

```
char *name, line[LINESIZE], *lp; int len;
DIR *dp; struct dirent *entry; FILE *fp;
name = argv[1];
len = strlen(name);
dp = opendir(".");

for (entry = readdir(dp); entry != NULL;
      entry = readdir(dp))
    if ((strcmp(name, entry->d_name, len)) == 0) {
        fp = fopen(entry->d_name, "r");
        lp = fgets(line, LINESIZE, fp);
        fprintf(stdout, "%s: %s", entry->d_name, lp);
    }
closedir(dp);
```

What is wrong with this code?

Example

```
char *name, line[LINESIZE], *lp; int len;
DIR *dp; struct dirent *entry; FILE *fp;
name = argv[1];
len = strlen(name);
dp = opendir(".");

while( (entry = readdir(dp)) != NULL )
    if ((strcmp(name, entry->d_name, len)) == 0) {
        fp = fopen(entry->d_name, "r");
        lp = fgets(line, LINESIZE, fp);
        fprintf(stdout, "%s: %s", entry->d_name, lp);
    }
closedir(dp);
```

while loop equivalent to the for loop