

209 - Tutorial Week 4

Assignment 1
More shell script examples
C programming

More return values

```
adduser() {
    USER=$1; PASSWD=$2
    shift ; shift
    COMMENTS=$@
    useradd -c "${COMMENTS}" $USER
    if [ "$?" -ne "0" ]; then
        echo "Useradd failed"; return 1
    fi
    passwd $USER $PASSWD
    if [ "$?" -ne "0" ]; then
        echo "Setting password failed"; return 2
    fi
    echo "Added user $USER ($COMMENTS) with password
          $PASSWORD"
}
```

Cut

```
#!/bin/sh
# List all the users in /etc/passwd.
FILENAME=/etc/passwd
for user in $(cut -d: -f1 $FILENAME)
do
    echo $user
done
```

Calling the function

```
adduser lionel password TA for 209
if [ "$?" -eq "1" ]; then
    echo "Something went wrong with useradd"
elif [ "$?" -eq "2" ]; then
    echo "Something went wrong with passwd"
else
    echo "User added to the system"
fi
```

Boolean expressions in C

- No boolean type: 0 is false, all other numbers are true.
- $10 < 11 == 1$
- $11 < 10 == 0$
- $i < j < k$ is equivalent to $(i < j) < k$.
- Use $i < j \&\& j < k$

Printf

- man 3 printf: int printf(const char *format, ...) - formatted output conversion
- What does that mean?
 - First argument is a string that may contain “conversion specifications”.
 - The number of arguments is variable: 1 + number of conversion specifications.

Conversion specifications

- %d: an integer
- %f: a double
- %.1f: a double, with one digit precision
- %s: a string
- Look at the man page for all the gritty details.

Example

- `printf("i = %d, j = %d\n", i, j);`
- `printf("My float to one decimal place: %.1f\n", x);`

scanf

- `int scanf(const char *format, ...);`
- Dual of printf: input format conversion
- BUT: USES MEMORY ADDRESSES!
- Example: `scanf("%d %d", &i, &j);`