

Introduction to UNIX

S-1

Credit Where Credit is Due

- These slides for CSC209H have been developed by Sean Culhane, a previous instructor: I have modified them for this presentation of the course, but must acknowledge their origins!

S-2

Logging in (1.1)

- Login name, password
- System password file: usually “**/etc/passwd**”
- **/etc/passwd** has 7 colon-separated fields:

```
maclean:x:132:114:James MacLean:  
^^^^^1^^^ 2 ^3^ ^4^ ^5^ ^6^ ^7^  
/u/maclean:/var/shell/tcsh
```

| | |
|----------------------|-------------------|
| 1: user name | 5: "in real life" |
| 2: password (hidden) | 6: \$HOME |
| 3: uid | 7: shell |
| 4: gid | |

S-3

Shells (1.2)

- Bourne shell, C shell, Korn shell, tcsh
 - command line interpreter that reads user input and executes commands

```
> ls -l /var/shell  
total 6  
lrwxrwxrwx 1 root 12 May 15 1996 csh -> /usr/bin/csh  
lrwxrwxrwx 1 root 12 May 15 1996 ksh -> /usr/bin/ksh  
lrwxrwxrwx 1 root 17 May 15 1996 newsh -> /local/sbin/newsh  
lrwxrwxrwx 1 root 11 May 15 1996 sh -> /usr/bin/sh  
lrwxrwxrwx 1 root 15 May 15 1996 tcsh -> /local/bin/tcsh
```

S-4

newsh “man page”

```
newsh  
  newsh - shell for new users  
SYNOPSIS  
  newsh  
DESCRIPTION  
  newsh shows the CDF rules, runs passwd to force the user to  
  change his or her password, and runs chsh to change the  
  user's shell to the default system shell (/local/bin/tcsh).  
FILES  
  /etc/passwd  
SEE ALSO  
  passwd(1), chsh(1)  
HISTORY  
  Written by John DiMarco at the University of Toronto, CDF
```

S-5

Files and Directories (1.5)

- UNIX filesystem is a hierarchical arrangement of directories & files
- Everything starts in a directory called root whose name is the single character /
- Directory: file that contains directory entries
- File name and file attributes
 - type
 - size
 - owner
 - permissions
 - time of last modification

S-6

Files: an example

```
> stat /u/maclean

  File: "/u/maclean"  -> "/homes/u1/maclean"
  Size: 17  Allocated Blocks: 0          Filetype: Symbolic Link
  Mode: (0777/lrwxrwxrwx)  Uid: ( 0/  root)  Gid: ( 1/ other)
Device: 0/1  Inode: 221      Links: 1      Device type: 0/0
Access: Sun Sep 13 18:32:37 1998
Modify: Fri Aug 28 15:42:09 1998
Change: Fri Aug 28 15:42:09 1998
```

S-7

Directories and Pathnames

- Command to create a directory: **mkdir**
- Two file names automatically created:
 - current directory ("..")
 - parent directory ("...")
- A pathname is a sequence of 0 or more file names, separated by /, optionally starting with a /
 - absolute pathnames: begins with a /
 - relative pathnames: otherwise

S-8

Working directory

- Current working directory (cwd)
 - directory from which all relative pathnames are interpreted
- Change working directory with the command: **cd** or **chdir**
- Print the current directory with the command: **pwd**
- Home directory: working directory when we log in
 - obtained from field 6 in **/etc/passwd**
- Can refer to home directory as **-maclean** or **\$HOME**

S-9

Permissions (1.6)

- When a file is created, the UID and GID of the creator are remembered
- Every named file has associated with it a set of permissions in the form of a string of bits:

| | | |
|-------|------------|-------------------|
| rwxs | rwxs | rwx |
| owner | group | others |
| mode | regular | directory |
| r | read | list contents |
| w | write | create and remove |
| x | execute | search |
| s | setuid/gid | n/a |
- setuid/gid executes program with user/group ID of file's owner
- Use **chmod** to change permissions

S-10

Input and Output (1.7)

- File descriptor
 - a small non-negative integer used by kernel to identify a file
- A shell opens 3 descriptors whenever a new program is run:
 - *standard input* (normally connected to terminal)
 - *standard output*
 - *standard error*
- Re-direction:
ls >file.list

S-11

Basic UNIX Tools

```
man  ("man -k", "man man") (1.13)
ls -la ("hidden files")
cd
pwd
du, df
chmod
cp, mv, rm  (in cshrc: "alias rm rm -i" ... )
mkdir, rmdir (rm -rf)
diff
grep
sort
```

S-12

More Basic UNIX Tools

```
more, less, cat
head, tail, wc
compress, uncompress,
gzip, gunzip, zcat
lpr, lpq, lprm
quota -v a209xxxx
pquota -v a209xxxx
logout, exit
mail, mh, rn, trn, nn
who, finger
date, password
```

S-13

C Shell Commands

```
which
echo
bg, fg, jobs, kill, nice
alias, unalias
dirs, popd, pushd
exit
source
rehash
set/unset
```

S-14

Additional Commands

```
arch
cal
ps
hostname
clear
tar
uptime
xdvi
gs, ghostview
setenv, printenv
```

S-15