

Introduction to UNIX

Credit Where Credit is Due

- These slides for CSC209H have been developed by Sean Culhane, a previous instructor: I have modified them for this presentation of the course, but must acknowledge their origins!

Logging in (1.1)

- Login name, password
- System password file: usually “**/etc/passwd**”
- **/etc/passwd** has 7 colon-separated fields:

```
maclean:x:132:114:James MacLean:  
^^^^^1^^^ 2 ^3^ ^4^ ^^^^5^^^  
/u/maclean:/var/shell/tcsh  
^^^^^6^^^ ^^^^7^^^
```

1: user name

5: “in real life”

2: password (hidden)

6: \$HOME

3: uid

7: shell

4: gid

Shells (1.2)

- Bourne shell, C shell, Korn shell, tcsh
 - command line interpreter that reads user input and executes commands

```
> ls -l /var/shell
total 6
lrwxrwxrwx 1 root 12 May 15 1996 csh -> /usr/bin/csh
lrwxrwxrwx 1 root 12 May 15 1996 ksh -> /usr/bin/ksh
lrwxrwxrwx 1 root 17 May 15 1996 newsh -> /local/sbin/newsh
lrwxrwxrwx 1 root 11 May 15 1996 sh -> /usr/bin/sh
lrwxrwxrwx 1 root 15 May 15 1996 tcsh -> /local/bin/tcsh
```

newsh “man page”

newsh

newsh - shell for new users

SYNOPSIS

newsh

DESCRIPTION

newsh shows the CDF rules, runs passwd to force the user to change his or her password, and runs chsh to change the user's shell to the default system shell (/local/bin/tcsh).

FILES

/etc/passwd

SEE ALSO

passwd(1), chsh(1)

HISTORY

Written by John DiMarco at the University of Toronto, CDF

Files and Directories (1.5)

- UNIX filesystem is a hierarchical arrangement of directories & files
- Everything starts in a directory called root whose name is the single character /
- Directory: file that contains directory entries
- File name and file attributes
 - type
 - size
 - owner
 - permissions
 - time of last modification

Files: an example

```
> stat /u/maclean
```

```
File: "/u/maclean"  -> "/homes/u1/maclean"  
Size: 17  Allocated Blocks: 0          Filetype: Symbolic Link  
Mode: (0777/lrwxrwxrwx)  Uid: (      0/      root)  Gid: ( 1/ other)  
Device: 0/1  Inode: 221          Links: 1          Device type: 0/0  
Access: Sun Sep 13 18:32:37 1998  
Modify: Fri Aug 28 15:42:09 1998  
Change: Fri Aug 28 15:42:09 1998
```

Directories and Pathnames

- Command to create a directory: **mkdir**
- Two file names automatically created:
 - current directory (“.”)
 - parent directory (“..”)
- A pathname is a sequence of 0 or more file names, separated by `/`, optionally starting with a `/`
 - absolute pathnames: begins with a `/`
 - relative pathnames: otherwise

Working directory

- Current working directory (cwd)
 - directory from which all relative pathnames are interpreted
- Change working directory with the command: **cd** or **chdir**
- Print the current directory with the command: **pwd**
- Home directory: working directory when we log in
 - obtained from field 6 in **/etc/passwd**
- Can refer to home directory as **~maclean** or **\$HOME**

Permissions (1.6)

- When a file is created, the UID and GID of the creator are remembered
- Every named file has associated with it a set of permissions in the form of a string of bits:

	rwxs	rwxs	rwx
	owner	group	others
<u>mode</u>	<u>regular</u>	<u>directory</u>	
r	read	list contents	
w	write	create and remove	
x	execute	search	
s	setuid/gid	n/a	

- setuid/gid executes program with user/group ID of file's owner
- Use **chmod** to change permissions

Input and Output (1.7)

- File descriptor
 - a small non-negative integer used by kernel to identify a file
- A shell opens 3 descriptors whenever a new program is run:
 - *standard input* (normally connected to terminal)
 - *standard output*
 - *standard error*
- Re-direction:
ls >file.list

Basic UNIX Tools

man ("man -k", "man man") (1.13)
ls -la ("hidden files")
cd
pwd
du, df
chmod
cp, mv, rm (in **cshrc**: "alias rm rm -i" . . .)
mkdir, rmdir (**rm -rf**)
diff
grep
sort

More Basic UNIX Tools

more, less, cat
head, tail, wc
compress, uncompress,
gzip, gunzip, zcat
lpr, lpq, lprm
quota -v a209xxxx
pquota -v a209xxxx
logout, exit
mail, mh, rn, trn, nn
who, finger
date, password

C Shell Commands

which

echo

bg, fg, jobs, kill, nice

alias, unalias

dirs, popd, pushd

exit

source

rehash

set/unset

Additional Commands

`arch`

`cal`

`ps`

`hostname`

`clear`

`tar`

`uptime`

`xdvi`

`gs, ghostview`

`setenv, printenv`