CSC304 Algorithmic Game Theory & Mechanism Design

Nisarg Shah

Introduction

- **Instructor:** Nisarg Shah (/~nisarg, nisarg@cs)
- TAs: Deeksha Adil (deeksha@cs)
 Paraskevi (Evi) Micha (emicha@cs)
 Tyrone Strangway (tyrone@cs)
- Lectures: Mon-Wed, 3pm-4pm, MP 134
- Tutorials: Fri, 3pm-4pm Birth month = Jan-Jun \rightarrow BA 1220 Birth month = Jul-Dec \rightarrow BA 1200
- Office hours: Mon 4pm-5pm, Thu 1pm-2pm

No tutorial this week.

Check the course webpage for further announcements.

Course Information

• Course Page:

www.cs.toronto.edu/~nisarg/teaching/304f18/

- Discussion Board: piazza.com/utoronto.ca/fall2018/csc304
- Grading MarkUs system
 - > Link will be distributed after about two weeks
 - > LaTeX preferred, scans are OK!
 - > An arbitrary subset of questions may be graded...

Course Organization

- Three (roughly equal) parts:
 - Game theory
 - > Mechanism design with money
 - > Mechanism design without money
- A homework and a midterm for each part
- Final exam = third midterm + a section on entire syllabus

Textbook

• Not really.

Slides will be your main reference.

- But...but...I want a textbook?
 - ≻ OK...
 - > Book by Prof. David Parkes at Harvard
 - \circ In preparation...
 - $\,\circ\,$ Closely follows the syllabus structure
 - Available from my webpage (username/password emailed to you)

> A number of other good books mentioned in the handout

Grading Policy

- 3 homeworks * 15% = 45%
- 3 midterms * 15% = 45%
- Final exam (entire syllabus) = 10%

> Final exam: third midterm + entire syllabus = 15+10 = 25%

Other Policies

- Collaboration
 - > Individual homeworks.
 - > Free to discuss with classmates or read online material.
 - Must write solutions in your own words (easier if you do not take any pictures/notes from the discussions)
- Citation
 - For each question, must cite the peer (write the name) or the online sources (provide links) referred, if any.
 - > Failing to do this is plagiarism!

Other Policies

- "No Garbage" Policy
 - > Borrowed from: Prof. Allan Borodin (citation!)
 - 1. Partial marks for viable approaches
 - 2. Zero marks if the answer makes no sense
 - 3. 20% marks if you admit to not knowing how to solve
- 20% > 0% !!

Other Policies

- Late Days
 - > 3 late days total across 3 homeworks
 - > At most 2 late days for a single homework
 - Covers legitimate reasons such as illness, University activities, etc.

Enough with the boring stuff.

What will we study? Why will we study it?

What is this course about?

- Game Theory and Mechanism Design
 - > Topics from microeconomics
- + Computer Science:
 - > Algorithmic Game Theory (AGT)
 - > Algorithmic Mechanism Design (AMD)

Game Theory

- How do rational, self-interested agents act?
- Each agent has a set of possible actions
- Rules of the game:
 - Rewards for the agents as a function of the actions taken by different agents

We focus on noncooperative games
 No external force or agencies forming coalitions

Example: Prisoner's Dilemma

John's Actions Sam's Actions	Stay Silent	Betray
Stay Silent	(-1 , -1)	(-3 , 0)
Betray	(0 , -3)	(-2 , -2)

• What Sam thinks:

> If John is going to stay silent...

- Better for me to betray (my reward: 0)
- Than for me to stay silent (my reward: -1)
- > If John is going to betray...
 - Better for me to betray (my reward: -2)
 - Than for me to stay silent (my reward: -3)

Only makes sense to betray

John thinks the same

That's cute.

But is this really useful in the real world?

Security Games

Deploying "patrol units" to protect infrastructure targets, prevent smuggling, save wildlife...



Image Courtesy: Teamcore

LAX

CSC304 - Nisarg Shah

Security Games

- *n* targets
- Player 1: Attacker
 > Actions: attack a target
- Player 2: Defender
 - > Actions: protect k (< n) targets at a time
 - $\succ \binom{n}{k}$ actions exponential!
- Attacker can observe \Rightarrow need to randomize
- Large games ⇒ need fast algorithms

Mechanism Design

- Design the rules of the game
- A principal in the system

> Wants the *n* rational agents to behave "nicely"

- Decides the rewards (or penalties) as a function of actions to incentivize the desired behavior
 - > Often the desired behavior is unclear
 - > E.g., want agents to reveal their true preferences

Mechanism Design

- With money
 - > Principal can "charge" the agents (require payments)
 - > Helps significantly
 - > Example: auctions
- Without money
 - Monetary transfers are not allowed
 - Incentives must be balanced otherwise
 - > Often impossible without sacrificing the objective a little
 - > Example: elections, kidney exchange

Example: Auction

Objective: The one who really needs it more should have it.



Example: Auction

Objective: The one who really needs it more should have it.



Example: Auction

Objective: The one who really needs it more should have it.



Real-World Applications

- Auctions form a significant part of mechanism design with money
- Auctions are ubiquitous in the real world!
 - A significant source of revenue for many large organizations (including Facebook and Google)
 - > Often run billions of tiny auctions everyday
 - Need the algorithms to be fast



Cost to each agent: Distance from the hospital

Objective: Minimize the sum of costs

Constraint: No money

Image Courtesy: Freepik

CSC304 - Nisarg Shah



Q: What is the optimal hospital location?

Q: If we decide to choose the optimal location, will the agents really tell us where they live?



Cost to each agent: Distance from the hospital

Objective: Minimize the maximum cost

Constraint: No money

Image Courtesy: Freepik

CSC304 - Nisarg Shah



Q: What is the optimal hospital location?

Q: If we decide to choose the optimal location, will the agents really tell us where they live?

Mechanism Design w/o Money

- Truth-telling is not the only possible desideratum
 - Fairness
 - Stability
 - > Efficiency
 - ≻ ...
- Consequently, many subfields of study
 - Fair allocation of resources
 - Stable matching
 - ➤ Voting

Real-World Applications



Roth



Shapley

National Resident Matching Program (NRMP)

School Choice (New York, Boston)

Fair Division

Voting

