

## ML Lectures (continued) Winter 2007

### Polymorphism

ML

There are 3 kinds of polymorphism:

- Ad-hoc polymorphism:** also known as *overloading*. Different operations known by same name that the compiler/interpreter resolves.
- Inheritance-based polymorphism:** subclasses define new version of methods possessed by super class. OO languages use this a lot!!
- Parametric Polymorphism:** types/type variables explicitly used as parameters.

### Polymorphism

ML

#### 3. Parametric Polymorphism:

- Allows types to be parameters to functions and other types.
- Basic idea is to have a type variable...
- Type of function depend on type of parameter
- Implementation:
  - Homogenous implementations (ML)
    - One one copy of code is generated
    - Polymorphic parameters must internally be implemented as pointers
  - Heterogeneous implementation (C++)
    - One copy of function code per instantiation
    - Access to polymorphic parameters can be more efficient

### Polymorphic Functions

ML

Polymorphic functions are common in ML:

```
- fun id X = X;
val id = fn : 'a -> 'a
```

```
- id 7;
val it = 7 : int
- id "abc";
val it = "abc" : string
```

```
- fun listify X = [X];
val listify = fn : 'a -> 'a list
```

```
- listify 3;
val it = [3] : int list
- listify 7.3;
val it = [7.3] : real list
```

```
- fun double X = (X,X);
val double = fn : 'a -> 'a * 'a
```

```
- double "xy";
val it = ("xy","xy") : string * string
- double [1,2,3];
val it = ([1,2,3],[1,2,3]) : int list * int list
```

ML

### Polymorphism

Greek: *poly = many, morph = form*

#### Definitions:

Polymorphism:

- dictionary.com: the capability of assuming different forms; the capability of widely varying in form. The occurrence of different forms, stages, or types
- Software: a value/variable can belong to multiple types

Monomorphism:

- Dictionary.com: having only one form, same genotype...
- Software: every value/variable belongs to exactly one type

Without polymorphism, a typed language would be very rigid.

We would have to define many different kinds of *length* functions:

```
int-length : int list → int
real-length: real list → int
string-length: string list → int .....
```

And the code for each of these functions would be virtually identical!

Polymorphism adds flexibility & convenience.

ML

### Polymorphism

#### 1. Ad-hoc polymorphism:

Different operations on different types known by the same name (*also called overloading*)

E.g. 3.0 + 4  
*compiler/interpreter must change 4 to 4.0 first*

#### 2. Inheritance polymorphism:

- Use sub-classing to define new versions of existing functions (OO)

E.g.:

```
public class Employee{
    public int salary;
    public void income() = {return salary;}
}
public class Waitress extends Employee{
    public int tips;
    public void income() = {return (salary + tips);}
}
public class Professor extends Employee;
```

ML

### Polymorphic Functions

#### Function Polymorphism:

values (including variables or functions) that can have more than one type

#### Examples:

```
fun length L = if (null L) then 0 else 1 + length (tl L);
```

```
fun reverse [] = []
  | reverse (h::t) = reverse(t) @ [h];
```

```
fun listify x = [x];
```

```
fun apply (f,x) = (f x);
apply(real,5);
```

Without polymorphism, we would need many functions:  
int-length, int-reverse, real-length, real-reverse, etc.

ML

### Polymorphic Functions

```
- fun inc(N,X) = (N+1,X);
val inc = fn : int * 'a -> int * 'a
```

```
- inc (2,5);
val it = (3,5) : int * int
- inc (4,(34,5));
val it = (5,(34,5)) : int * (int * int)
```

```
- fun swap(X,Y) = (Y,X);
val swap = fn : 'a * 'b -> 'b * 'a
```

```
- swap ("abc",7);
val it = (7,"abc") : int * string
- swap (13.4,[12,3,3]);
val it = ([12,3,3],13.4) : int list * real
```

```
- fun pair2list(X,Y) = [X,Y];
val pair2list = fn : 'a * 'a -> 'a list
```

```
- pair2list(1,2);
val it = [1,2] : int list
- pair2list(1,"cd");
?
```

ML

## Polymorphic Functions

```
- fun apply(Func,X) = Func X;  
val apply = fn : ('a -> 'b) * 'a -> 'b
```

```
- apply (hd, [1,2,3]);  
val it = 1 : int  
- apply (length, [23,100]);  
val it = 2 : integer
```

```
- fun applytwice(Func,X) = Func(Func X);  
val applytwice = fn : ('a -> 'a) * 'a -> 'a
```

```
- applytwice (square,3);  
val it = 81 : int  
- applytwice (tl, [1,2,3,4]);  
?  
- applytwice (hd, [1,2,3,4]);  
?
```

ML

## Polymorphism

### Operators that restrict polymorphism

- Arithmetic operators: `+`, `-`, `*`, `-`
- Division-related operations e.g. `/`, `div`, `mod`
- Inequality comparison operators: `<`, `<=`, `>=`, `>`, etc.
- Boolean connectives: **andalso**, **orelse**, **not**
- String concatenation operator: `^`
- Type conversion operators
  - E.g. **ord**, **chr**, **real**, **str**, **floor**, **ceiling**, **round**, **truncate**, ...

### Operators that allow polymorphism

- Tuple operators
- List operators
- Equality operators `=`, `<>`