

Worst-case Time Complexity: Proving Asymptotic Bounds.

Let $t(x)$ be the number of steps taken by algorithm \mathcal{A} on input x .

Let $T(n)$ be the *worst-case* time complexity of algorithm \mathcal{A} :

$$T(n) = \max_{\text{all inputs } x \text{ of size } n} t(x) = \max \{t(x) : x \text{ is an input of size } n\}$$

1. To prove that $T(n)$ is $O(g(n))$, one must show that there is a constant $c > 0$, and an input size $n_0 > 0$, such that for all $n \geq n_0$:

$$\begin{aligned} T(n) &\leq c \cdot g(n) \\ \Leftrightarrow &\max \{t(x) : x \text{ is an input of size } n\} \leq c \cdot g(n) \\ \Leftrightarrow &\text{For every input } x \text{ of size } n, t(x) \leq c \cdot g(n) \\ \Leftrightarrow &\text{For every input of size } n, \mathcal{A} \text{ takes at most } c \cdot g(n) \text{ steps} \end{aligned}$$

2. To prove that $T(n)$ is $\Omega(g(n))$, one must show that there is a constant $c > 0$, and an input size $n_0 > 0$, such that for all $n \geq n_0$:

$$\begin{aligned} T(n) &\geq c \cdot g(n) \\ \Leftrightarrow &\max \{t(x) : x \text{ is an input of size } n\} \geq c \cdot g(n) \\ \Leftrightarrow &\text{For some input } x \text{ of size } n, t(x) \geq c \cdot g(n) \\ \Leftrightarrow &\text{For some input of size } n, \mathcal{A} \text{ takes at least } c \cdot g(n) \text{ steps} \end{aligned}$$

IN SUMMARY:

Let $T(n)$ be the *worst-case* time complexity of algorithm \mathcal{A} .

1. $T(n)$ is $O(g(n))$ iff $\exists c > 0, \exists n_0 > 0$, such that $\forall n \geq n_0$:
for every input of size n , \mathcal{A} takes at most $c \cdot g(n)$ steps.
2. $T(n)$ is $\Omega(g(n))$ iff $\exists c > 0, \exists n_0 > 0$, such that $\forall n \geq n_0$:
for some input of size n , \mathcal{A} takes at least $c \cdot g(n)$ steps.
3. $T(n)$ is $\Theta(g(n))$ iff $T(n)$ is $O(g(n))$ and $T(n)$ is $\Omega(g(n))$.