

Course Introduction/Human Visual System




CSC2529

David Lindell

University of Toronto

cs.toronto.edu/~lindell/teaching/2529



Copyright, 1878, by MUYBRIDGE.

MORSE'S Gallery, 417 Montgomery St., San Francisco.

THE HORSE IN MOTION.


Illustrated by
MUYBRIDGE.

AUTOMATIC ELECTRO-PHOTOGRAPH.

"SALLIE GARDNER," owned by LELAND STANFORD; running at a 1.40 gait over the Palo Alto track, 19th June, 1878.

The negatives of these photographs were made at intervals of twenty-seven inches of distance, and about the twenty-fifth part of a second of time; they illustrate consecutive positions assumed in each twenty-seven inches of progress during a single stride of the mare. The vertical lines were twenty-seven inches apart; the horizontal lines represent elevations of four inches each. The exposure of each negative was less than the two-thousandth part of a second.

Muybridge's Multi-Camera Array





CAMERAS

Detect and track pedestrians / cyclists, traffic lights, free space and other features

ARTICULATING RADARS

Detect moving vehicles at long range over a wide field of view



LIDARS

High-precision laser sensors that detect fixed and moving objects



LONG-RANGE RADARS

Detect vehicles and measure velocity



SHORT-RANGE RADARS

Detect objects around the vehicle






Image: National Geographic

What is Computational Imaging?





Computational Imaging

What is Computational Imaging?


1. optically encode scene information
2. computationally recover information

- new optics
- new sensors
- new illumination
- new algorithms





What is Light?



- light as rays
- unit: (spectral) radiance
- properties: wavelength, polarization, direction, ...
- only brief introduction & outlook for wave optics

Course Fast Forward


Recording Notice

- Lectures and Problem Sessions in this course are recorded and published to Quercus
- If you ask a question your voice may be recorded

Acknowledgments

- Lecture material adapted from EE367: Computational Imaging by Gordon Wetzstein at Stanford University
- Materials also build on work by many others: Marc Levoy, Fredo Durand, Ramesh Raskar, Shree Nayar, Paul Debevec, Kyros Kutulakos, Matthew O'Toole

Instructors



David Lindell



Robin Swanson



Shayan
Shekarforoush




Mian Wei



Parsa
Mirdehghan

The Human Visual System

- anatomy of the eye
- acuity, color, 3D vision
- contrast sensitivity
- conflicts in displays
- refractive errors





Digital Photography

- optics
- aperture
- depth of field
- field of view
- exposure
- noise
- color filter arrays
- imaging processing pipeline



Computational Photography

- High-dynamic range imaging
- Tone mapping
- Burst photography
- Coded apertures
- ...




Debevec & Malik, 1997




Deep Learning for Computational Imaging

- Convolutional neural networks
- DnCNN
- U-Net
- ...





Optimization & Deep Learning

- Non-linear optimization
- Proximal gradient methods (ADMM)
- Iterative optimization with deep priors
- Solving general inverse problems in imaging
- ...




Compressive Imaging

- single pixel camera
- compressive hyperspectral imaging
- compressive light field imaging
- ...




Wakin et al. 2006




Light Field Imaging

- Plenoptic function
- Light fields
- 3D displays
- ...



[Wetzstein et al. 2011]



[Wilburn et al. 2005]



Lytro Ilium

Time-of-Flight Imaging

- Lidar
- Single-photon imaging
- Non-line-of-sight imaging
- ...



Velodyne




[Lindell et al. 2019]




[O'Toole et al. 2017]

Neural Signal Representations

- Coordinate networks
- Radiance fields
- Multiview image reconstruction
- ...



[Sitzmann et al. 2020]



[Mildenhall et al. 2020]



[Mildenhall et al. 2022]

Class Details

(no formal) Prerequisites (but ...)

- strong *programming skills*, ideally Python
- *linear algebra*
- basic knowledge of *Fourier transforms*
- maybe a bit of (statistical) signal processing, but not absolutely required
- basic computer graphics or computer vision could be helpful, but also not required

Related, Possibly Helpful Classes

UofT Classes:

CSC2530	Computational Imaging and 3D Sensing
CSC2305	Numerical Methods for Optimization Problems
CSC2503	Foundations of Computer Vision
CSC2516	Neural Networks and Deep Learning
ECE537	Random Processes
ECE1505	Convex Optimization
ECE1512	Digital Image Processing and Applications

Requirements and Grading

- 6 assignments: 50%
- major final project (teams of ≤ 3): 50%
 - discuss project ideas with TA & instructor!
 - project proposal due: 14/11, 11:59pm
 - final presentation (recorded video): 8/12, 10am-12pm
 - reports and source code due: 8/12, 11:59pm

Resources (see course website!)

- website: cs.toronto.edu/~lindell/teaching/2529/
- contact: csc2529-fall2223-staff-l@listserv.utoronto.ca
- office hours (TA, assignments): Tues/Fri 12-1:30pm, BA3201
- office hours (Instructor, projects): Mon 1:30-2:30pm BA7228
- Ed Discussion (see Quercus for link)

Tentative Schedule

cs.toronto.edu/~lindell/teaching/2529/

What we don't discuss

- no medical imaging, but same concept apply – medical imaging projects are encouraged!
- outlook on wave optics / diffractive imaging but not focus on this topic

Lectures and Problem sessions

- 1 lecture per week: Mon. 10am-12pm in Galbraith 120 in person (recording will be available on Quercus after class)
- 1 problem session (first 6 weeks): Wed. 11am-12pm SS1071 (recording will be available on Quercus after class)
- attendance strongly recommended, but everything is recorded

Assignments

- 6 assignments: mix of theory, programming, and HW1 has a bit of hands-on building
- out every Mon (starting this week), due Wed week after at 11:59pm (midnight)
- no late days! (unless something exceptional comes up)
- you can submit until that Thurs 11:59pm (midnight) with 30% penalty on the full score (24h late=70% max score on HW), after that 0%
- discussion among students encouraged, but must submit own solution and acknowledge others that you discussed this with
- submission via www.gradescope.ca - create account (see entry code on website)

Course Projects & Proposal

- individual or teams of up to 3 people
- 50% of your grade – plan on ~50-60 h per person!
- Nov 14: short project proposal = 1-2 pages with
 - motivation
 - related work
 - project overview
 - milestones, timeline & goals
 - at least 3 scientific references
 - we may ask you to revise the proposal, will assign a mentor to your team

Course Projects

- Dec 8: in-person project poster + demo session
 - see poster template on website
 - More details later

Course Projects

- Dec 8: report + source code due (at midnight)
- report = conference paper format ~6 pages with
 - abstract
 - introduction
 - related work
 - theory
 - analysis
 - results
 - discussion and conclusion
 - references
 - see latex template on website

Course Projects

- must also submit source code along with report!
- proposals, reports, source will be available on course website
 - only use non-copyrighted material
 - no projects that require NDA or company secrets
 - may request that source code / report may not be public – contact staff

Possible Course Projects

- be experimental!
- Image enhancement for under-display cameras
- Optimization or deep learning for your favorite inverse problem in imaging
- ...

Possible Course Projects


See previous course projects (proposals, reports, code, posters) on the course website!

The Human Visual System



nautilus eye, wikipedia

Pinhole Camera







Figure 5.8 (opposite) A range of invertebrate eyes that illustrate approaches to the formation of crude but effective images: (a) *Nautilus*'s pinhole eye; (b) marine snail; (c) bivalve mollusc; (d) abalone; (e) ragworm.




Evolution of the Eye


a) Region of photosensitive cells




b) Depressed/folded area allows limited directional sensitivity




c) "Pinhole" eye allows finer directional sensitivity and limited imaging




d) Transparent humor develops in enclosed chamber



e) Distinct lens develops




f) Iris and separate cornea develop



owl, <https://www.pinterest.com/pin/452400725039917330/>






jumping spider, wikipedia




Summary of Human Visual System (HVS)

- visual acuity: 20/20 is ~ 1 arc min
- field of view: $\sim 190^\circ$ monocular, $\sim 120^\circ$ binocular, $\sim 135^\circ$ vertical
- temporal resolution: ~ 60 Hz (depends on contrast, luminance)
- dynamic range: instantaneous 6.5 f-stops, adapt to 46.5 f-stops
- color: everything in the CIE xy diagram; distances are linear in CIE Lab
- depth cues in 3D displays: vergence, focus, conflicts, (dis)comfort
- accommodation range: $\sim 8\text{cm}$ to ∞ , degrades with age


Overview



Overview




dorsal stream: spatial awareness





primary visual cortex

ventral stream:
recognition, object identification


Anatomy of the Human Eye




Anatomy of the Human Eye



The Retina






© 2011 Pearson Education, Inc.




The Retina

Roorda & Williams, 1999, Nature




5 arcmin visual angle




Color Perception




Color Perception - Sensitivity of Cones



Eye vs Camera



[Williams 91]



wikipedia


Oculomotor Processes

far focus


16 years: ~8cm to ∞

50 years: ~50cm to ∞ (mostly irrelevant)

near focus




adithyakiran.wordpress.com




Oculomotor Processes + Visual Cues

Oculomotor Cue

Stereopsis (Binocular)



Focus Cues (Monocular)



Visual Cue




Binocular Disparity



Retinal Blur

Oculomotor Cue

Stereopsis (Binocular)



Vergence




Visual Cue



Binocular Disparity

Focus Cues (Monocular)




Accommodation



Retinal Blur

Oculomotor Cue

Stereopsis (Binocular)



Vergence




Visual Cue



Binocular Disparity

Focus Cues (Monocular)




Accommodation



Retinal Blur

Oculomotor Cue

Stereopsis (Binocular)



Vergence




Visual Cue



Binocular Disparity

Focus Cues (Monocular)



Accommodation





Retinal Blur

Stereopsis (Binocular)

Focus Cues (Monocular)

Oculomotor Cue



Visual Cue




Binocular Disparity



Retinal Blur

Stereopsis (Binocular)

Oculomotor Cue



Vergence




Visual Cue



Binocular Disparity

Focus Cues (Monocular)




Accommodation



Retinal Blur

Oculomotor Cue


Stereopsis (Binocular)



Vergence



Focus Cues (Monocular)



Accommodation



Visual Cue




Binocular Disparity




Retinal Blur


Refractive Errors



Visual Field / Field of View




monocular visual field



binocular visual field

Immersive VR – How Important is the FOV?



Visual Acuity

Snellen chart



1 20/200

2 20/100

3 20/70

4 20/50

5 20/40

6 20/30

7 20/25

8 20/20

9

10



11

← characters are 5 arc min, need to resolve 1 arc min to read

Retina Displays

Steve Jobs: 300 dpi is retina resolution


our math: ~286 dpi





tablet, 12" away,
resolvable pixel:

$$p = 2 * 12'' * \tan(1 \text{ arc min} / 2) = 0.0035''$$

Dynamic Range



High Dynamic Range Displays




Contrast





Which image has a higher contrast? ☐ ☒

Contrast Sensitivity Function




Campbell & Robson, 1968; Daly, 1993

Hybrid Images



Hybrid Images



Depth Perception



Depth Perception




monocular cues

- perspective
- relative object size
- absolute size
- occlusion
- accommodation
- retinal blur
- motion parallax
- texture gradients
- shading
- ...


binocular cues

- (con)vergence
- disparity / parallax
- ...

Depth Perception




binocular disparity



convergence



motion parallax




accommodation/blur

← current glasses-based (stereoscopic) displays →


← near-term: light field displays →

← longer-term: holographic displays →


Depth Perception




Visual Illusions – Perspective, Occlusion, Size




M.C. Escher






Visual Illusions – Which Cues are These?




Stereoscopic Displays



Charles Wheatstone., 1841. Stereoscope.

Walker, Lewis E., 1865. Hon. Abraham Lincoln, President of the United States. Library of Congress


Stereoscopic Displays



Stereoscopic Displays



Charles Wheatstone 1838



176 years later



stereoscopic displays


A Brief History of Virtual Reality

Stereoscopes

Wheatstone, Brewster, ...



VR, AR, Ivan Sutherland



VR explosion Oculus, Sony, Valve, MS, ...




1838

1968

2012-2022

Next-generation VR/AR Displays

Vergence-Accommodation Conflict



effects


- visual discomfort
- visual fatigue
- nausea
- diplopic vision
- eyestrain
- compromised image quality
- pathologies in developing visual system
- ...



Real World:

Vergence & Accommodation **Match!**


Top View





Stereo Displays Today:

Vergence-Accommodation **Mismatch!**




Summary


- visual acuity: 20/20 is ~ 1 arc min
- field of view: $\sim 190^\circ$ monocular, $\sim 120^\circ$ binocular, $\sim 135^\circ$ vertical
- temporal resolution: ~ 60 Hz (depends on contrast, luminance)
- dynamic range: instantaneous 6.5 f-stops, adapt to 46.5 f-stops
- color: everything in the CIE xy diagram; distances are linear in CIE Lab
- depth cues in 3D displays: vergence, focus, conflicts, (dis)comfort
- accommodation range: $\sim 8\text{cm}$ to ∞ , degrades with age

Homework I


a) Region of photosensitive cells




b) Depressed/folded area allows limited directional sensitivity




c) "Pinhole" eye allows finer directional sensitivity and limited imaging




d) Transparent humor develops in enclosed chamber



e) Distinct lens develops



f) Iris and separate cornea develop



- take a step back in evolution
- build a pinhole camera
- capture photos with it
- read instructions carefully!

Task 1 & 2: Create a pinhole camera



Pinhole

Camera lens
Goes here



Homework I – Build a Pinhole Camera

light
leakage



digital camera
blocked optical path



Next: Digital Photography I

- optics
- aperture
- depth of field
- field of view
- noise
- sensors
- color filter arrays



References and Further Reading

interesting textbooks on perception:

- Wandell, “Foundations of Vision”, Sinauer Associates, 1995
- Howard, “Perceiving in Depth”, Oxford University Press, 2012

depth cues and more:

- Cutting & Vishton, “Perceiving layout and knowing distances: The interaction, relative potency, and contextual use of different information about depth”, Epstein and Rogers (Eds.), Perception of space and motion, 1995
- Held, Cooper, O'Brien, Banks, “Using Blur to Affect Perceived Distance and Size”, ACM Transactions on Graphics, 2010
- Hoffman and Banks, “Focus information is used to interpret binocular images”. Journal of Vision 10, 2010
- Hoffman, Girshick, Akeley, and Banks, “Vergence-accommodation conflicts hinder visual performance and cause visual fatigue”. Journal of Vision 8, 2008
- Huang, Chen, Wetzstein, “The Light Field Stereoscope”, ACM SIGGRAPH 2015

the retina and visual acuity:

- Roorda, Williams, “The arrangement of the three cone classes in the living human eye”, Nature, Vol 397, 1999
- Snellen chart: https://en.wikipedia.org/wiki/Snellen_chart

the visual field:

- Ruch and Fulton, Medical physiology and biophysics, 1960

contrast sensitivity function & hybrid images:

- Oliva, Torralba, Schyns, “Hybrid Images”, ACM Transactions on Graphics (SIGGRAPH), 2006
- Spatio-temporal CSF: Kelly, Motion and Vision. II. Stabilized spatio-temporal threshold surface, Journal of the Optical Society of America, 1979
- Mantiuk, Kim, Rempel, Heidrich, “HDR-VDP-2: A calibrated visual metric for visibility and quality predictions in all luminance conditions”, SIGGRAPH 2011