


# CSC 411 Lecture 3: Linear Models I

Roger Grosse

University of Toronto


- So far, we've talked about *procedures* for learning.
  - KNN, decision trees, bagging
- For the remainder of this course, we'll take a more modular approach:
  - choose a **model** describing the relationships between variables of interest
  - define a **loss function** quantifying how bad is the fit to the data
  - choose a **regularizer** saying how much we prefer different candidate explanations
  - fit the model, e.g. using an **optimization algorithm**
- By mixing and matching these modular components, your ML skills become combinatorially more powerful!

# Problem Setup



- Want to predict a scalar  $t$  as a function of a scalar  $x$
- Given a dataset of pairs  $\{(\mathbf{x}^{(i)}, t^{(i)})\}_{i=1}^N$
- The  $\mathbf{x}^{(i)}$  are called **inputs**, and the  $t^{(i)}$  are called **targets**.

# Problem Setup



- **Model:**  $y$  is a linear function of  $x$ :

$$y = wx + b$$

- $y$  is the **prediction**
- $w$  is the **weight**
- $b$  is the **bias**
- $w$  and  $b$  together are the **parameters**
- Settings of the parameters are called **hypotheses**

# Problem Setup



- **Loss function:** squared error (says how bad the fit is)

$$\mathcal{L}(y, t) = \frac{1}{2}(y - t)^2$$

- $y - t$  is the **residual**, and we want to make this small in magnitude
- The  $\frac{1}{2}$  factor is just to make the calculations convenient.
- **Cost function:** loss function averaged over all training examples

$$\begin{aligned}\mathcal{J}(w, b) &= \frac{1}{2N} \sum_{i=1}^N \left( y^{(i)} - t^{(i)} \right)^2 \\ &= \frac{1}{2N} \sum_{i=1}^N \left( wx^{(i)} + b - t^{(i)} \right)^2\end{aligned}$$

# Problem Setup



# Problem setup

- Suppose we have multiple inputs  $x_1, \dots, x_D$ . This is referred to as **multivariable regression**.
- This is no different than the single input case, just harder to visualize.
- Linear model:

$$y = \sum_j w_j x_j + b$$

- Computing the prediction using a for loop:

```
y = b
for j in range(M):
    y += w[j] * x[j]
```

- For-loops in Python are slow, so we **vectorize** algorithms by expressing them in terms of vectors and matrices.

$$\mathbf{w} = (w_1, \dots, w_D)^\top \quad \mathbf{x} = (x_1, \dots, x_D)$$

$$y = \mathbf{w}^\top \mathbf{x} + b$$

- This is simpler and much faster:

```
y = np.dot(w, x) + b
```



## Why vectorize?

- The equations, and the code, will be simpler and more readable. Gets rid of dummy variables/indices!
- Vectorized code is much faster
  - Cut down on Python interpreter overhead
  - Use highly optimized linear algebra libraries
  - Matrix multiplication is very fast on a Graphics Processing Unit (GPU)

# Vectorization

- We can take this a step further. Organize all the training examples into the **design matrix**  $\mathbf{X}$  with one row per training example, and all the targets into the **target vector**  $\mathbf{t}$ .

one feature across all training examples

$$\mathbf{X} = \begin{pmatrix} \mathbf{x}^{(1)\top} \\ \mathbf{x}^{(2)\top} \\ \mathbf{x}^{(3)\top} \end{pmatrix} = \begin{pmatrix} 8 & 0 & 3 & 0 \\ 6 & -1 & 5 & 3 \\ 2 & 5 & -2 & 8 \end{pmatrix}$$

one training example (vector)

- Computing the predictions for the whole dataset:

$$\mathbf{X}\mathbf{w} + b\mathbf{1} = \begin{pmatrix} \mathbf{w}^\top \mathbf{x}^{(1)} + b \\ \vdots \\ \mathbf{w}^\top \mathbf{x}^{(N)} + b \end{pmatrix} = \begin{pmatrix} y^{(1)} \\ \vdots \\ y^{(N)} \end{pmatrix} = \mathbf{y}$$

- Computing the squared error cost across the whole dataset:

$$\mathbf{y} = \mathbf{X}\mathbf{w} + b\mathbf{1}$$
$$\mathcal{J} = \frac{1}{2N} \|\mathbf{y} - \mathbf{t}\|^2$$

- In Python:

```
y = np.dot(X, w) + b
cost = np.sum((y - t) ** 2) / (2. * N)
```

# Solving the optimization problem

- We defined a cost function. This is what we'd like to minimize.
- Recall from calculus class: minimum of a smooth function (if it exists) occurs at a **critical point**, i.e. point where the derivative is zero.
- Multivariate generalization: partial derivatives must be zero.
  - Finding a minimum by analytically setting the partial derivatives to zero is called **direct solution**.

# Direct solution

- **Partial derivatives:** derivatives of a multivariate function with respect to one of its arguments.

$$\frac{\partial}{\partial x_1} f(x_1, x_2) = \lim_{h \rightarrow 0} \frac{f(x_1 + h, x_2) - f(x_1, x_2)}{h}$$

- To compute, take the single variable derivatives, pretending the other arguments are constant.
- Example: partial derivatives of the prediction  $y$

$$\frac{\partial y}{\partial w_j} = \frac{\partial}{\partial w_j} \left[ \sum_{j'} w_{j'} x_{j'} + b \right]$$

$$= x_j$$

$$\frac{\partial y}{\partial b} = \frac{\partial}{\partial b} \left[ \sum_{j'} w_{j'} x_{j'} + b \right]$$

$$= 1$$

- Chain rule for derivatives:

$$\begin{aligned}\frac{\partial \mathcal{L}}{\partial w_j} &= \frac{d\mathcal{L}}{dy} \frac{\partial y}{\partial w_j} \\ &= \frac{d}{dy} \left[ \frac{1}{2}(y - t)^2 \right] \cdot x_j \\ &= (y - t)x_j \\ \frac{\partial \mathcal{L}}{\partial b} &= y - t\end{aligned}$$

- Cost derivatives (average over data points):

$$\begin{aligned}\frac{\partial \mathcal{J}}{\partial w_j} &= \frac{1}{N} \sum_{i=1}^N (y^{(i)} - t^{(i)}) x_j^{(i)} \\ \frac{\partial \mathcal{J}}{\partial b} &= \frac{1}{N} \sum_{i=1}^N y^{(i)} - t^{(i)}\end{aligned}$$

- The minimum must occur at a point where the partial derivatives are zero.

$$\frac{\partial \mathcal{J}}{\partial w_j} = 0 \quad \frac{\partial \mathcal{J}}{\partial b} = 0.$$

- If  $\partial \mathcal{J} / \partial w_j \neq 0$ , you could reduce the cost by changing  $w_j$ .
- This turns out to give a system of linear equations, which we can solve efficiently. **Full derivation in the readings.**
- Optimal weights:

$$\mathbf{w} = (\mathbf{X}^\top \mathbf{X})^{-1} \mathbf{X}^\top \mathbf{t}$$

- Linear regression is one of only a handful of models in this course that permit direct solution.

# Gradient Descent

- Now let's see a second way to minimize the cost function which is more broadly applicable: **gradient descent**.
- Gradient descent is an **iterative algorithm**, which means we apply an update repeatedly until some criterion is met.
- We **initialize** the weights to something reasonable (e.g. all zeros) and repeatedly adjust them in the **direction of steepest descent**.



# Gradient descent

- Observe:
  - if  $\partial\mathcal{J}/\partial w_j > 0$ , then slightly increasing  $w_j$  increases  $\mathcal{J}$ .
  - if  $\partial\mathcal{J}/\partial w_j < 0$ , then slightly increasing  $w_j$  decreases  $\mathcal{J}$ .
- The following update decreases the cost function, assuming small enough  $\alpha$ :

$$\begin{aligned}w_j &\leftarrow w_j - \alpha \frac{\partial\mathcal{J}}{\partial w_j} \\ &= w_j - \frac{\alpha}{N} \sum_{i=1}^N (y^{(i)} - t^{(i)}) x_j^{(i)}\end{aligned}$$

- $\alpha$  is a **learning rate**. The larger it is, the faster  $\mathbf{w}$  changes.
  - We'll see later how to tune the learning rate, but values are typically small, e.g. 0.01 or 0.0001

# Gradient descent

- This gets its name from the **gradient**:

$$\frac{\partial \mathcal{J}}{\partial \mathbf{w}} = \begin{pmatrix} \frac{\partial \mathcal{J}}{\partial w_1} \\ \vdots \\ \frac{\partial \mathcal{J}}{\partial w_D} \end{pmatrix}$$

- This is the direction of fastest increase in  $\mathcal{J}$ .
- Update rule in vector form:

$$\begin{aligned} \mathbf{w} &\leftarrow \mathbf{w} - \alpha \frac{\partial \mathcal{J}}{\partial \mathbf{w}} \\ &= \mathbf{w} - \frac{\alpha}{N} \sum_{i=1}^N (y^{(i)} - t^{(i)}) \mathbf{x}^{(i)} \end{aligned}$$

- Hence, gradient descent updates the weights in the direction of fastest *decrease*.


Visualization:

[http://www.cs.toronto.edu/~guerzhoy/321/lec/W01/linear\\_regression.pdf#page=21](http://www.cs.toronto.edu/~guerzhoy/321/lec/W01/linear_regression.pdf#page=21)

- Why gradient descent, if we can find the optimum directly?
  - GD can be applied to a much broader set of models
  - GD can be easier to implement than direct solutions, especially with automatic differentiation software
  - For regression in high-dimensional spaces, GD is more efficient than direct solution (matrix inversion is an  $\mathcal{O}(D^3)$  algorithm).

# Feature mappings

- Suppose we want to model the following data



-Pattern Recognition and Machine Learning, Christopher Bishop.

- One option: fit a low-degree polynomial; this is known as **polynomial regression**

$$y = w_3x^3 + w_2x^2 + w_1x + w_0$$

- Do we need to derive a whole new algorithm?

# Feature mappings

- We get polynomial regression for free!
- Define the **feature map**


$$\psi(x) = \begin{pmatrix} 1 \\ x \\ x^2 \\ x^3 \end{pmatrix}$$

- Polynomial regression model:

$$y = \mathbf{w}^T \psi(x)$$


- All of the derivations and algorithms so far in this lecture remain exactly the same!

# Fitting polynomials



-Pattern Recognition and Machine Learning, Christopher Bishop.

# Fitting polynomials




-Pattern Recognition and Machine Learning, Christopher Bishop.



# Fitting polynomials


$$y = w_0 + w_1x + w_2x^2 + w_3x^3$$



-Pattern Recognition and Machine Learning, Christopher Bishop.


# Fitting polynomials

$$y = w_0 + w_1x + w_2x^2 + w_3x^3 + \dots + w_9x^9$$




-Pattern Recognition and Machine Learning, Christopher Bishop.

**Underfitting** : model is too simple — does not fit the data.





**Overfitting** : model is too complex — fits perfectly, does not generalize.



# Generalization


- Training and test error as a function of # training examples and # parameters:



- The degree of the polynomial is a hyperparameter, just like  $k$  in KNN. We can tune it using a validation set.
- But restricting the size of the model is a crude solution, since you'll never be able to learn a more complex model, even if the data support it.
- Another approach: keep the model large, but **regularize** it
  - **Regularizer**: a function that quantifies how much we prefer one hypothesis vs. another

# $L^2$ Regularization

Observation: polynomials that overfit often have large coefficients.



$$y = 0.1x^5 + 0.2x^4 + 0.75x^3 - x^2 - 2x + 2$$

$$y = -7.2x^5 + 10.4x^4 + 24.5x^3 - 37.9x^2 - 3.6x + 12$$

So let's try to keep the coefficients small.

Another reason we want weights to be small:

- Suppose inputs  $x_1$  and  $x_2$  are nearly identical for all training examples. The following two hypotheses make nearly the same predictions:

$$\mathbf{w} = \begin{pmatrix} 1 \\ 1 \end{pmatrix} \quad \mathbf{w} = \begin{pmatrix} -9 \\ 11 \end{pmatrix}$$

- But the second network might make weird predictions if the test distribution is slightly different (e.g.  $x_1$  and  $x_2$  match less closely).

# $L^2$ Regularization

- We can encourage the weights to be small by choosing as our regularizer the  $L^2$  penalty.

$$\mathcal{R}(\mathbf{w}) = \frac{1}{2} \|\mathbf{w}\|^2 = \frac{1}{2} \sum_j w_j^2.$$

- Note: to be pedantic, the  $L^2$  norm is Euclidean distance, so we're really regularizing the *squared*  $L^2$  norm.
- The regularized cost function makes a tradeoff between fit to the data and the norm of the weights.


$$\mathcal{J}_{\text{reg}} = \mathcal{J} + \lambda \mathcal{R} = \mathcal{J} + \frac{\lambda}{2} \sum_j w_j^2$$

- Here,  $\lambda$  is a hyperparameter that we can tune using a validation set.



# $L^2$ Regularization

- The geometric picture:



# $L^2$ Regularization

- Recall the gradient descent update:

$$\mathbf{w} \leftarrow \mathbf{w} - \alpha \frac{\partial \mathcal{J}}{\partial \mathbf{w}}$$

- The gradient descent update of the regularized cost has an interesting interpretation as [weight decay](#):

$$\begin{aligned}\mathbf{w} &\leftarrow \mathbf{w} - \alpha \left( \frac{\partial \mathcal{J}}{\partial \mathbf{w}} + \lambda \frac{\partial \mathcal{R}}{\partial \mathbf{w}} \right) \\ &= \mathbf{w} - \alpha \left( \frac{\partial \mathcal{J}}{\partial \mathbf{w}} + \lambda \mathbf{w} \right) \\ &= (1 - \alpha\lambda)\mathbf{w} - \alpha \frac{\partial \mathcal{J}}{\partial \mathbf{w}}\end{aligned}$$

Linear regression exemplifies recurring themes of this course:

- choose a **model** and a **loss function**
- formulate an **optimization problem**
- solve the optimization problem using one of two strategies
  - **direct solution** (set derivatives to zero)
  - **gradient descent**
- **vectorize** the algorithm, i.e. represent in terms of linear algebra
- make a linear model more powerful using **features**
- improve the generalization by adding a **regularizer**

# Linear Classification

- **Classification:** predicting a discrete-valued target
  - **Binary classification:** predicting a binary-valued target
- **Examples**
  - predict whether a patient has a disease, given the presence or absence of various symptoms
  - classify e-mails as spam or non-spam
  - predict whether a financial transaction is fraudulent

## Binary linear classification

- **classification:** predict a discrete-valued target
- **binary:** predict a binary target  $t \in \{0, 1\}$ 
  - Training examples with  $t = 1$  are called **positive examples**, and training examples with  $t = 0$  are called **negative examples**. Sorry.
- **linear:** model is a linear function of  $\mathbf{x}$ , followed by a threshold:

$$z = \mathbf{w}^T \mathbf{x} + b$$

$$y = \begin{cases} 1 & \text{if } z \geq r \\ 0 & \text{if } z < r \end{cases}$$

# Some simplifications

## Eliminating the threshold

- We can assume WLOG that the threshold  $r = 0$ :

$$\mathbf{w}^T \mathbf{x} + b \geq r \iff \mathbf{w}^T \mathbf{x} + \underbrace{b - r}_{\triangleq b'} \geq 0.$$

## Eliminating the bias

- Add a dummy feature  $x_0$  which always takes the value 1. The weight  $w_0$  is equivalent to a bias.

## Simplified model

$$z = \mathbf{w}^T \mathbf{x}$$

$$y = \begin{cases} 1 & \text{if } z \geq 0 \\ 0 & \text{if } z < 0 \end{cases}$$

**NOT**

$x_0$	$x_1$	$t$
1	0	1
1	1	0

$$b > 0$$

$$b + w < 0$$

$$b = 1, w = -2$$




## AND

$x_0$	$x_1$	$x_2$	t	
1	0	0	0	$b < 0$
1	0	1	0	$b + w_2 < 0$
1	1	0	0	$b + w_1 < 0$
1	1	1	1	$b + w_1 + w_2 > 0$

$$b = -1.5, w_1 = 1, w_2 = 1$$

# The Geometric Picture



## Input Space, or Data Space



- Here we're visualizing the **NOT** example
- Training examples are points
- Hypotheses are **half-spaces** whose boundaries pass through the origin
- The boundary is the **decision boundary**
  - In 2-D, it's a line, but think of it as a hyperplane
- If the training examples can be separated by a linear decision rule, they are **linearly separable**.

# The Geometric Picture

## Weight Space




$$w_0 > 0$$
$$w_0 + w_1 < 0$$

- Hypotheses are points
- Training examples are half-spaces whose boundaries pass through the origin
- The region satisfying all the constraints is the **feasible region**; if this region is nonempty, the problem is **feasible**

# The Geometric Picture


- The **AND** example requires three dimensions, including the dummy one.
- To visualize data space and weight space for a 3-D example, we can look at a 2-D slice:




- The visualizations are similar, except that the decision boundaries and the constraints need not pass through the origin.

# The Geometric Picture

Visualizations of the **AND** example



Slice for  $x_0 = 1$




Slice for  $w_0 = -1$

What happened to the fourth constraint?

# The Geometric Picture

Some datasets are not linearly separable, e.g. **XOR**



Proof coming in a later lecture...

- **Recall: binary linear classifiers.** Targets  $t \in \{0, 1\}$

$$z = \mathbf{w}^T \mathbf{x} + b$$

$$y = \begin{cases} 1 & \text{if } z \geq 0 \\ 0 & \text{if } z < 0 \end{cases}$$

- What if we can't classify all the training examples correctly?
- Seemingly obvious loss function: **0-1 loss**

$$\begin{aligned} \mathcal{L}_{0-1}(y, t) &= \begin{cases} 0 & \text{if } y = t \\ 1 & \text{if } y \neq t \end{cases} \\ &= \mathbb{1}_{y \neq t}. \end{aligned}$$

# Attempt 1: 0-1 loss

- As always, the cost  $\mathcal{J}$  is the average loss over training examples; for 0-1 loss, this is the **error rate**:

$$\mathcal{J} = \frac{1}{N} \sum_{i=1}^N \mathbb{1}_{y^{(i)} \neq t^{(i)}}$$

$$\frac{1}{3} \left( \begin{array}{|c|} \hline \blacksquare \\ \hline \end{array} + \begin{array}{|c|} \hline \square \\ \hline \end{array} + \begin{array}{|c|} \hline \blacktriangleleft \\ \hline \end{array} \right) = \begin{array}{|c|} \hline \square \\ \hline \end{array}$$



# Attempt 1: 0-1 loss

- Problem: how to optimize?
- Chain rule:

$$\frac{\partial \mathcal{L}_{0-1}}{\partial w_j} = \frac{\partial \mathcal{L}_{0-1}}{\partial z} \frac{\partial z}{\partial w_j}$$

- But  $\partial \mathcal{L}_{0-1} / \partial z$  is zero everywhere it's defined!
  - $\partial \mathcal{L}_{0-1} / \partial w_j = 0$  means that changing the weights by a very small amount probably has no effect on the loss.
  - The gradient descent update is a no-op.

## Attempt 2: Linear Regression


- Sometimes we can replace the loss function we care about with one which is easier to optimize. This is known as a **surrogate loss function**.
- We already know how to fit a linear regression model. Can we use this instead?

$$y = \mathbf{w}^\top \mathbf{x} + b$$
$$\mathcal{L}_{\text{SE}}(y, t) = \frac{1}{2}(y - t)^2$$

- Doesn't matter that the targets are actually binary.
- Threshold predictions at  $y = 1/2$ .

# Attempt 2: Linear Regression

## The problem:




- The loss function hates when you make correct predictions with high confidence!
- If  $t = 1$ , it's more unhappy about  $y = 10$  than  $y = 0$ .

## Attempt 3: Logistic Activation Function

- There's obviously no reason to predict values outside  $[0, 1]$ . Let's squash  $y$  into this interval.
- The **logistic function** is a kind of **sigmoidal**, or S-shaped, function:

$$\sigma(z) = \frac{1}{1 + e^{-z}}$$



- A linear model with a logistic nonlinearity is known as **log-linear**:

$$z = \mathbf{w}^T \mathbf{x} + b$$

$$y = \sigma(z)$$


$$\mathcal{L}_{\text{SE}}(y, t) = \frac{1}{2}(y - t)^2.$$

- Used in this way,  $\sigma$  is called an **activation function**, and  $z$  is called the **logit**.

# Attempt 3: Logistic Activation Function

## The problem:

(plot of  $\mathcal{L}_{SE}$  as a function of  $z$ )




$$\frac{\partial \mathcal{L}}{\partial w_j} = \frac{\partial \mathcal{L}}{\partial z} \frac{\partial z}{\partial w_j}$$
$$w_j \leftarrow w_j - \alpha \frac{\partial \mathcal{L}}{\partial w_j}$$

- In gradient descent, a small gradient (in magnitude) implies a small step.
- If the prediction is really wrong, shouldn't you take a large step?
- This happens because the loss function **saturates**.

# Logistic Regression

- Because  $y \in [0, 1]$ , we can interpret it as the estimated probability that  $t = 1$ .
- The pundits who were 99% confident Clinton would win were much more wrong than the ones who were only 90% confident.
- **Cross-entropy loss** captures this intuition:

$$\begin{aligned}\mathcal{L}_{\text{CE}}(y, t) &= \begin{cases} -\log y & \text{if } t = 1 \\ -\log(1 - y) & \text{if } t = 0 \end{cases} \\ &= -t \log y - (1 - t) \log(1 - y)\end{aligned}$$




## Logistic Regression:

$$z = \mathbf{w}^\top \mathbf{x} + b$$

$$y = \sigma(z)$$

$$= \frac{1}{1 + e^{-z}}$$

$$\mathcal{L}_{\text{CE}} = -t \log y - (1 - t) \log(1 - y)$$



**[[gradient derivation in the notes]]**

# Logistic Regression

- Problem: what if  $t = 1$  but you're really confident it's a negative example ( $z \ll 0$ )?
- If  $y$  is small enough, it may be **numerically zero**. This can cause very subtle and hard-to-find bugs.

$$y = \sigma(z) \quad \Rightarrow y \approx 0$$
$$\mathcal{L}_{\text{CE}} = -t \log y - (1 - t) \log(1 - y) \quad \Rightarrow \text{computes } \log 0$$

- Instead, we combine the activation function and the loss into a single **logistic-cross-entropy** function.

$$\mathcal{L}_{\text{LCE}}(z, t) = \mathcal{L}_{\text{CE}}(\sigma(z), t) = t \log(1 + e^{-z}) + (1 - t) \log(1 + e^z)$$


- Numerically stable computation:

$$E = t * \text{np.logaddexp}(0, -z) + (1-t) * \text{np.logaddexp}(0, z)$$



# Logistic Regression

## Comparison of loss functions:



## Comparison of gradient descent updates:

- Linear regression:

$$\mathbf{w} \leftarrow \mathbf{w} - \frac{\alpha}{N} \sum_{i=1}^N (y^{(i)} - t^{(i)}) \mathbf{x}^{(i)}$$

- Logistic regression:

$$\mathbf{w} \leftarrow \mathbf{w} - \frac{\alpha}{N} \sum_{i=1}^N (y^{(i)} - t^{(i)}) \mathbf{x}^{(i)}$$

- Not a coincidence! These are both examples of **generalized linear models**, but that's beyond the scope of this course.