

CSC 311: Introduction to Machine Learning

Lecture 10 - k-Means and EM Algorithm

Roger Grosse Chris Maddison Juhan Bae Silviu Pitis


University of Toronto, Fall 2020

Overview

- In the last two lectures, we covered PCA, Autoencoders and Matrix Factorization—all unsupervised learning algorithms.
 - ▶ Each algorithm can be used to approximate high dimensional data using some lower dimensional form.
- Those methods made an interesting assumption that data depends on some latent variables that are never observed. Such models are called **latent variable models**.
 - ▶ For PCA, these correspond to the code vectors (representation).
- Today's lecture:
 - ▶ First, introduce K-means, a simple algorithm for **clustering**, i.e. grouping data points into clusters
 - ▶ Then, we will reformulate clustering as a latent variable model, apply the EM algorithm


Clustering

- Sometimes the data form clusters, where samples within a cluster are similar to each other, and samples in different clusters are dissimilar:




- Such a distribution is **multimodal**, since it has multiple **modes**, or regions of high probability mass.
- Grouping data points into clusters, **with no observed labels**, is called **clustering**. It is an unsupervised learning technique.
- E.g. clustering machine learning papers based on topic (deep learning, Bayesian models, etc.)
 - ▶ But topics are never observed (unsupervised).

Clustering problem



- Assume the data $\{\mathbf{x}^{(1)}, \dots, \mathbf{x}^{(N)}\}$ lives in a Euclidean space, $\mathbf{x}^{(n)} \in \mathbb{R}^D$.
- Assume each data point belongs to one of K clusters
- Assume the data points from same cluster are similar, i.e. close in Euclidean distance.
- How can we identify those clusters (data points that belong to each cluster)? Let's formulate as an optimization problem.

K-means Objective



K-means Objective: Find cluster centers $\{\mathbf{m}_k\}_{k=1}^K$ and assignments $\{\mathbf{r}^{(n)}\}_{n=1}^N$ to minimize the sum of squared distances of data points $\{\mathbf{x}^{(n)}\}$ to their assigned centers.

- Data sample $n = 1, \dots, N$: $\mathbf{x}^{(n)} \in \mathbb{R}^D$ (observed),
- Cluster center $k = 1, \dots, K$: $\mathbf{m}_k \in \mathbb{R}^D$ (not observed),
- Responsibilities: Cluster assignment for sample n : $\mathbf{r}^{(n)} \in \mathbb{R}^K$ 1-of-K encoding (not observed)

K-means Objective

- **K-means Objective:** Find cluster centers $\{\mathbf{m}_k\}_{k=1}^K$ and assignments $\{\mathbf{r}^{(n)}\}_{n=1}^N$ to minimize the sum of squared distances of data points $\{\mathbf{x}^{(n)}\}$ to their assigned centers.
 - ▶ Data sample $n = 1, \dots, N$: $\mathbf{x}^{(n)} \in \mathbb{R}^D$ (observed),
 - ▶ Cluster center $k = 1, \dots, K$: $\mathbf{m}_k \in \mathbb{R}^D$ (not observed),
 - ▶ Responsibilities: Cluster assignment for sample n : $\mathbf{r}^{(n)} \in \mathbb{R}^K$ 1-of-K encoding (not observed)
- Mathematically:

$$\min_{\{\mathbf{m}_k\}, \{\mathbf{r}^{(n)}\}} J(\{\mathbf{m}_k\}, \{\mathbf{r}^{(n)}\}) = \min_{\{\mathbf{m}_k\}, \{\mathbf{r}^{(n)}\}} \sum_{n=1}^N \sum_{k=1}^K r_k^{(n)} \|\mathbf{m}_k - \mathbf{x}^{(n)}\|^2$$

where $r_k^{(n)} = \mathbb{I}[\mathbf{x}^{(n)} \text{ is assigned to cluster } k]$, i.e., $\mathbf{r}^{(n)} = [0, \dots, 1, \dots, 0]^\top$

- Finding an optimal solution is an NP-hard problem!

K-means Objective

- Optimization problem:

$$\min_{\{\mathbf{m}_k\}, \{\mathbf{r}^{(n)}\}} \sum_{n=1}^N \underbrace{\sum_{k=1}^K r_k^{(n)} \|\mathbf{m}_k - \mathbf{x}^{(n)}\|^2}_{\text{distance between } \mathbf{x}^{(n)} \text{ and its assigned cluster center}}$$

- Since $r_k^{(n)} = \mathbb{I}[\mathbf{x}^{(n)} \text{ is assigned to cluster } k]$, i.e., $\mathbf{r}^{(n)} = [0, \dots, 1, \dots, 0]^\top$
- inner sum is over K terms but only one of them is non-zero.
- E.g. say sample $\mathbf{x}^{(n)}$ is assigned to cluster $k = 3$, then

$$\mathbf{r}^n = [0, 0, 1, 0, \dots]$$

$$\sum_{k=1}^K r_k^{(n)} \|\mathbf{m}_k - \mathbf{x}^{(n)}\|^2 = \|\mathbf{m}_3 - \mathbf{x}^{(n)}\|^2$$

How to optimize?: Alternating Minimization

Optimization problem:

$$\min_{\{\mathbf{m}_k\}, \{\mathbf{r}^{(n)}\}} \sum_{n=1}^N \sum_{k=1}^K r_k^{(n)} \|\mathbf{m}_k - \mathbf{x}^{(n)}\|^2$$

- Problem is hard when minimizing jointly over the parameters $\{\mathbf{m}_k\}, \{\mathbf{r}^{(n)}\}$
- But note that if we fix one and minimize over the other, then it becomes easy.
- Doesn't guarantee the same solution!

How to optimize?: Alternating Minimization

Optimization problem:

$$\min_{\{\mathbf{m}_k\}, \{\mathbf{r}^{(n)}\}} \sum_{n=1}^N \sum_{k=1}^K r_k^{(n)} \|\mathbf{m}_k - \mathbf{x}^{(n)}\|^2$$

• Note:

- ▶ If we fix the centers $\{\mathbf{m}_k\}$ then we can easily find the optimal assignments $\{\mathbf{r}^{(n)}\}$ for each sample n

$$\min_{\mathbf{r}^{(n)}} \sum_{k=1}^K r_k^{(n)} \|\mathbf{m}_k - \mathbf{x}^{(n)}\|^2$$

- ▶ Assign each point to the cluster with the nearest center

$$r_k^{(n)} = \begin{cases} 1 & \text{if } k = \arg \min_j \|\mathbf{x}^{(n)} - \mathbf{m}_j\|^2 \\ 0 & \text{otherwise} \end{cases}$$

- ▶ E.g. if $\mathbf{x}^{(n)}$ is assigned to cluster \hat{k} ,

$$\mathbf{r}^{(n)} = \underbrace{[0, 0, \dots, 1, \dots, 0]^\top}_{\text{Only } \hat{k}\text{-th entry is 1}}$$

Alternating Minimization

- Likewise, if we fix the assignments $\{\mathbf{r}^{(n)}\}$ then can easily find optimal centers $\{\mathbf{m}_k\}$
 - ▶ Set each cluster's center to the average of its assigned data points:
For $l = 1, 2, \dots, K$



$$\begin{aligned} 0 &= \frac{\partial}{\partial \mathbf{m}_l} \sum_{n=1}^N \sum_{k=1}^K r_k^{(n)} \|\mathbf{m}_k - \mathbf{x}^{(n)}\|^2 \\ &= 2 \sum_{n=1}^N r_l^{(n)} (\mathbf{m}_l - \mathbf{x}^{(n)}) \quad \implies \quad \mathbf{m}_l = \frac{\sum_n r_l^{(n)} \mathbf{x}^{(n)}}{\sum_n r_l^{(n)}} \end{aligned}$$

- Let's alternate between minimizing $J(\{\mathbf{m}_k\}, \{\mathbf{r}^{(n)}\})$ with respect to $\{\mathbf{m}_k\}$ and $\{\mathbf{r}^{(n)}\}$
- This is called **alternating minimization**

K-means Algorithm

High level overview of algorithm:

- **Initialization**: randomly initialize cluster centers
- The algorithm iteratively alternates between two steps:
 - ▶ **Assignment step**: Assign each data point to the closest cluster
 - ▶ **Refitting step**: Move each cluster center to the mean of the data assigned to it






Figure from Bishop

Simple demo: <http://syskall.com/kmeans.js/>

The K-means Algorithm

- **Initialization:** Set K cluster means $\mathbf{m}_1, \dots, \mathbf{m}_K$ to random values
- Repeat until convergence (until assignments do not change):
 - ▶ **Assignment:** Optimize J w.r.t. $\{\mathbf{r}\}$: Each data point $\mathbf{x}^{(n)}$ assigned to nearest center

$$\hat{k}^{(n)} = \arg \min_k \|\mathbf{m}_k - \mathbf{x}^{(n)}\|^2$$

and **Responsibilities** (1-hot or 1-of- K encoding)

$$r_k^{(n)} = \mathbb{I}[\hat{k}^{(n)} = k] \quad \text{for } k = 1, \dots, K$$

- ▶ **Refitting:** Optimize J w.r.t. $\{\mathbf{m}\}$: Each center is set to mean of data assigned to it

$$\mathbf{m}_k = \frac{\sum_n r_k^{(n)} \mathbf{x}^{(n)}}{\sum_n r_k^{(n)}}.$$

K-means for Vector Quantization





Figure from Bishop

- Given image, construct “dataset” of pixels represented by their RGB pixel intensities
- Run k-means, replace each pixel by its cluster center

K-means for Image Segmentation



- Given image, construct “dataset” of pixels, represented by their RGB pixel intensities and grid locations
- Run k-means (with some modifications) to get superpixels


Questions about K-means

- Why does update set \mathbf{m}_k to mean of assigned points?
- What if we used a different distance measure?
- How can we choose the best distance?
- How to choose K ?
- Will it converge?

Hard cases – unequal spreads, non-circular spreads, in-between points

Why K-means Converges

- K-means algorithm reduces the cost at each iteration.
 - ▶ Whenever an assignment is changed, the sum squared distances J of data points from their assigned cluster centers is reduced.
 - ▶ Whenever a cluster center is moved, J is reduced.
- **Test for convergence:** If the assignments do not change in the assignment step, we have converged (to at least a local minimum).
- This will always happen after a finite number of iterations, since the number of possible cluster assignments is finite




- K-means cost function after each assignment step (blue) and refitting step (red). The algorithm has converged after the third refitting step.

Local Minima

- The objective J is non-convex (so coordinate descent on J is not guaranteed to converge to the global minimum)
- There is nothing to prevent k-means getting stuck at local minima.
- We could try many random starting points

A bad local optimum



- Instead of making hard assignments of data points to clusters, we can make **soft assignments**. One cluster may have a responsibility of .7 for a datapoint and another may have a responsibility of .3.
 - ▶ Allows a cluster to use more information about the data in the refitting step.
 - ▶ How do we decide on the soft assignments?
 - ▶ We already saw this in multi-class classification:
 - ▶ 1-of- K encoding vs softmax assignments

Soft K-means Algorithm

- **Initialization:** Set K means $\{\mathbf{m}_k\}$ to random values
- Repeat until convergence (measured by how much J changes):
 - ▶ **Assignment:** Each data point n given soft “degree of assignment” to each cluster mean k , based on responsibilities

$$r_k^{(n)} = \frac{\exp[-\beta \|\mathbf{m}_k - \mathbf{x}^{(n)}\|^2]}{\sum_j \exp[-\beta \|\mathbf{m}_j - \mathbf{x}^{(n)}\|^2]}$$

$$\implies \mathbf{r}^{(n)} = \text{softmax}(-\beta \{\|\mathbf{m}_k - \mathbf{x}^{(n)}\|^2\}_{k=1}^K)$$

- ▶ **Refitting:** Model parameters, means, are adjusted to match sample means of datapoints they are responsible for:

$$\mathbf{m}_k = \frac{\sum_n r_k^{(n)} \mathbf{x}^{(n)}}{\sum_n r_k^{(n)}}$$

Questions about Soft K-means

Some remaining issues

- How to set β ?
- Clusters with unequal weight and width?

These aren't straightforward to address with K-means. Instead, in the sequel, we'll reformulate clustering using a generative model.

As $\beta \rightarrow \infty$, soft k-Means becomes k-Means! (Exercise)

A Generative View of Clustering

- Next: probabilistic formulation of clustering
- We need a sensible measure of what it means to cluster the data well
 - ▶ This makes it possible to judge different methods
 - ▶ It may help us decide on the number of clusters
- An obvious approach is to imagine that the data was produced by a generative model
 - ▶ Then we adjust the model parameters using maximum likelihood i.e. to maximize the probability that it would produce exactly the data we observed

The Generative Model

- We'll be working with the following generative model for data \mathcal{D}
- Assume a datapoint \mathbf{x} is generated as follows:
 - ▶ Choose a cluster z from $\{1, \dots, K\}$ such that $p(z = k) = \pi_k$
 - ▶ Given z , sample \mathbf{x} from a Gaussian distribution $\mathcal{N}(\mathbf{x}|\boldsymbol{\mu}_z, \mathbf{I})$
- Can also be written:

$$p(z = k) = \pi_k$$

$$p(\mathbf{x}|z = k) = \mathcal{N}(\mathbf{x}|\boldsymbol{\mu}_k, \mathbf{I})$$

Clusters from Generative Model


- This defines joint distribution $p(z, \mathbf{x}) = p(z)p(\mathbf{x}|z)$ with parameters $\{\pi_k, \boldsymbol{\mu}_k\}_{k=1}^K$
- The marginal of \mathbf{x} is given by $p(\mathbf{x}) = \sum_z p(z, \mathbf{x})$
- $p(z = k|\mathbf{x})$ can be computed using Bayes rule

$$p(z = k|\mathbf{x}) = \frac{p(\mathbf{x} | z = k)p(z = k)}{p(\mathbf{x})}$$


and tells us the probability \mathbf{x} came from the k^{th} cluster

The Generative Model


- 500 points drawn from a mixture of 3 Gaussians.



a) Samples from $p(\mathbf{x} | z)$



b) Samples from the marginal $p(\mathbf{x})$



c) Responsibilities $p(z | \mathbf{x})$

Maximum Likelihood with Latent Variables

- How should we choose the parameters $\{\pi_k, \boldsymbol{\mu}_k\}_{k=1}^K$?
- Maximum likelihood principle: choose parameters to maximize likelihood of **observed data**
- We don't observe the cluster assignments z , we only see the data \mathbf{x}
- Given data $\mathcal{D} = \{\mathbf{x}^{(n)}\}_{n=1}^N$, choose parameters to maximize:

$$\log p(\mathcal{D}) = \sum_{n=1}^N \log p(\mathbf{x}^{(n)})$$

- We can find $p(\mathbf{x})$ by marginalizing out z :

$$p(\mathbf{x}) = \sum_{k=1}^K p(z = k, \mathbf{x}) = \sum_{k=1}^K p(z = k) p(\mathbf{x} | z = k)$$

Gaussian Mixture Model (GMM)



What is $p(\mathbf{x})$?

$$p(\mathbf{x}) = \sum_{k=1}^K p(z = k)p(\mathbf{x}|z = k) = \sum_{k=1}^K \pi_k \mathcal{N}(\mathbf{x}|\boldsymbol{\mu}_k, \mathbf{I})$$



- This distribution is an example of a **Gaussian Mixture Model (GMM)**, and π_k are known as the **mixing coefficients**
- In general, we would have different covariance for each cluster, i.e., $p(\mathbf{x}|z = k) = \mathcal{N}(\mathbf{x}|\boldsymbol{\mu}_k, \boldsymbol{\Sigma}_k)$. For this lecture, we assume $\boldsymbol{\Sigma}_k = \mathbf{I}$ for simplicity.
- If we allow arbitrary covariance matrices, GMMs are **universal approximators of densities** (if you have enough Gaussians). Even diagonal GMMs are universal approximators.

Visualizing a Mixture of Gaussians – 1D Gaussians

- If you fit a Gaussian to data:






- Now, we are trying to fit a GMM (with $K = 2$ in this example):



[Slide credit: K. Kutulakos]

Visualizing a Mixture of Gaussians – 2D Gaussians



Fitting GMMs: Maximum Likelihood

Maximum likelihood objective:

$$\log p(\mathcal{D}) = \sum_{n=1}^N \log p(\mathbf{x}^{(n)}) = \sum_{n=1}^N \log \left(\sum_{k=1}^K \pi_k \mathcal{N}(\mathbf{x}^{(n)} | \boldsymbol{\mu}_k, \mathbf{I}) \right)$$

- How would you optimize this w.r.t. parameters $\{\pi_k, \boldsymbol{\mu}_k\}$?
 - ▶ No closed form solution when we set derivatives to 0
 - ▶ Difficult because sum inside the log
- One option: gradient ascent. Can we do better?
- Can we have a closed form update?

Maximum Likelihood

- **Observation:** if we knew $z^{(n)}$ for every $\mathbf{x}^{(n)}$, (i.e. our dataset was $\mathcal{D}_{\text{complete}} = \{(z^{(n)}, \mathbf{x}^{(n)})\}_{n=1}^N$) the maximum likelihood problem is easy:

$$\begin{aligned}\log p(\mathcal{D}_{\text{complete}}) &= \sum_{n=1}^N \log p(z^{(n)}, \mathbf{x}^{(n)}) \\ &= \sum_{n=1}^N \log p(\mathbf{x}^{(n)} | z^{(n)}) + \log p(z^{(n)}) \\ &= \sum_{n=1}^N \sum_{k=1}^K \mathbb{I}[z^{(n)} = k] \left(\log \mathcal{N}(\mathbf{x}^{(n)} | \boldsymbol{\mu}_k, \mathbf{I}) + \log \pi_k \right)\end{aligned}$$

Maximum Likelihood

$$\log p(\mathcal{D}_{\text{complete}}) = \sum_{n=1}^N \sum_{k=1}^K \mathbb{I}[z^{(n)} = k] \left(\log \mathcal{N}(\mathbf{x}^{(n)} | \boldsymbol{\mu}_k, \mathbf{I}) + \log \pi_k \right)$$

- We have been optimizing something similar for Naive bayes classifiers
- By maximizing $\log p(\mathcal{D}_{\text{complete}})$, we would get this:

$$\begin{aligned} \hat{\boldsymbol{\mu}}_k &= \frac{\sum_{n=1}^N \mathbb{I}[z^{(n)} = k] \mathbf{x}^{(n)}}{\sum_{n=1}^N \mathbb{I}[z^{(n)} = k]} = \text{class means} \\ \hat{\pi}_k &= \frac{1}{N} \sum_{n=1}^N \mathbb{I}[z^{(n)} = k] = \text{class proportions} \end{aligned}$$

Maximum Likelihood

- We haven't observed the cluster assignments $z^{(n)}$, but we can compute $p(z^{(n)}|\mathbf{x}^{(n)})$ using Bayes rule
- Conditional probability (using Bayes rule) of z given \mathbf{x}

$$\begin{aligned} p(z = k|\mathbf{x}) &= \frac{p(z = k)p(\mathbf{x}|z = k)}{p(\mathbf{x})} \\ &= \frac{p(z = k)p(\mathbf{x}|z = k)}{\sum_{j=1}^K p(z = j)p(\mathbf{x}|z = j)} \\ &= \frac{\pi_k \mathcal{N}(\mathbf{x}|\boldsymbol{\mu}_k, \mathbf{I})}{\sum_{j=1}^K \pi_j \mathcal{N}(\mathbf{x}|\boldsymbol{\mu}_j, \mathbf{I})} \end{aligned}$$

Maximum Likelihood

$$\log p(\mathcal{D}_{\text{complete}}) = \sum_{n=1}^N \sum_{k=1}^K \mathbb{I}[z^{(n)} = k] (\log \mathcal{N}(\mathbf{x}^{(n)} | \boldsymbol{\mu}_k, \mathbf{I}) + \log \pi_k)$$

- We don't know the cluster assignments $\mathbb{I}[z^{(n)} = k]$, but we know their expectation $\mathbb{E}[\mathbb{I}[z^{(n)} = k] | \mathbf{x}^{(n)}] = p(z^{(n)} = k | \mathbf{x}^{(n)})$.
- If we plug in $r_k^{(n)} = p(z^{(n)} = k | \mathbf{x}^{(n)})$ for $\mathbb{I}[z^{(n)} = k]$, we get:

$$\sum_{n=1}^N \sum_{k=1}^K r_k^{(n)} (\log \mathcal{N}(\mathbf{x}^{(n)} | \boldsymbol{\mu}_k, \mathbf{I}) + \log \pi_k)$$



- This is still easy to optimize! Solution is similar to what we have seen:

$$\hat{\boldsymbol{\mu}}_k = \frac{\sum_{n=1}^N r_k^{(n)} \mathbf{x}^{(n)}}{\sum_{n=1}^N r_k^{(n)}} \quad \hat{\pi}_k = \frac{\sum_{n=1}^N r_k^{(n)}}{N}$$

- Note: this only works if we treat $r_k^{(n)} = \frac{\pi_k \mathcal{N}(\mathbf{x}^{(n)} | \boldsymbol{\mu}_k, \mathbf{I})}{\sum_{j=1}^K \pi_j \mathcal{N}(\mathbf{x}^{(n)} | \boldsymbol{\mu}_j, \mathbf{I})}$ as fixed.

How Can We Fit a Mixture of Gaussians?

- This motivates the [Expectation-Maximization algorithm](#), which alternates between two steps:
 1. **E-step:** Compute the posterior probabilities $r_k^{(n)} = p(z^{(n)} = k | \mathbf{x}^{(n)})$ given our current model - i.e. how much do we think a cluster is responsible for generating a datapoint.
 2. **M-step:** Use the equations on the last slide to update the parameters, assuming $r_k^{(n)}$ are held fixed- change the parameters of each Gaussian to maximize the probability that it would generate the data it is currently responsible for.



EM Algorithm for GMM

- **Initialize** the means $\hat{\boldsymbol{\mu}}_k$ and mixing coefficients $\hat{\pi}_k$
- Iterate until convergence:
 - ▶ **E-step**: Evaluate the responsibilities $r_k^{(n)}$ given current parameters







$$r_k^{(n)} = p(z^{(n)} = k | \mathbf{x}^{(n)}) = \frac{\hat{\pi}_k \mathcal{N}(\mathbf{x}^{(n)} | \hat{\boldsymbol{\mu}}_k, \mathbf{I})}{\sum_{j=1}^K \hat{\pi}_j \mathcal{N}(\mathbf{x}^{(n)} | \hat{\boldsymbol{\mu}}_j, \mathbf{I})} = \frac{\hat{\pi}_k \exp\{-\frac{1}{2}\|\mathbf{x}^{(n)} - \hat{\boldsymbol{\mu}}_k\|^2\}}{\sum_{j=1}^K \hat{\pi}_j \exp\{-\frac{1}{2}\|\mathbf{x}^{(n)} - \hat{\boldsymbol{\mu}}_j\|^2\}}$$

- ▶ **M-step**: Re-estimate the parameters given current responsibilities

$$\begin{aligned}\hat{\boldsymbol{\mu}}_k &= \frac{1}{N_k} \sum_{n=1}^N r_k^{(n)} \mathbf{x}^{(n)} \\ \hat{\pi}_k &= \frac{N_k}{N} \quad \text{with} \quad N_k = \sum_{n=1}^N r_k^{(n)}\end{aligned}$$

- ▶ Evaluate log likelihood and check for convergence

$$\log p(\mathcal{D}) = \sum_{n=1}^N \log \left(\sum_{k=1}^K \hat{\pi}_k \mathcal{N}(\mathbf{x}^{(n)} | \hat{\boldsymbol{\mu}}_k, \mathbf{I}) \right)$$



What just happened: A review

- The maximum likelihood objective $\sum_{n=1}^N \log p(\mathbf{x}^{(n)})$ was hard to optimize
- The complete data likelihood objective was easy to optimize:

$$\sum_{n=1}^N \log p(z^{(n)}, \mathbf{x}^{(n)}) = \sum_{n=1}^N \sum_{k=1}^K \mathbb{I}[z^{(n)} = k] (\log \mathcal{N}(\mathbf{x}^{(n)} | \boldsymbol{\mu}_k, \mathbf{I}) + \log \pi_k)$$

- We don't know $z^{(n)}$'s (they are latent), so we replaced $\mathbb{I}[z^{(n)} = k]$ with responsibilities $r_k^{(n)} = p(z^{(n)} = k | \mathbf{x}^{(n)})$.
- That is: we replaced $\mathbb{I}[z^{(n)} = k]$ with its **expectation** under $p(z^{(n)} | \mathbf{x}^{(n)})$ (E-step).

What just happened: A review

- We ended up with the expected complete data log-likelihood:

$$\sum_{n=1}^N \mathbb{E}_{p(z^{(n)}|\mathbf{x}^{(n)})} [\log p(z^{(n)}, \mathbf{x}^{(n)})] = \sum_{n=1}^N \sum_{k=1}^K r_k^{(n)} (\log \mathcal{N}(\mathbf{x}^{(n)} | \boldsymbol{\mu}_k, \mathbf{I}) + \log \pi_k)$$

which we maximized over parameters $\{\pi_k, \boldsymbol{\mu}_k\}_k$ (M-step)

- The EM algorithm alternates between:
 - ▶ The E-step: computing the $r_k^{(n)} = p(z^{(n)} = k | \mathbf{x}^{(n)})$ (i.e. **expectations** $\mathbb{E}[\mathbb{I}[z^{(n)} = k] | \mathbf{x}^{(n)}]$) given the current model parameters $\pi_k, \boldsymbol{\mu}_k$
 - ▶ The M-step: update the model parameters $\pi_k, \boldsymbol{\mu}_k$ to optimize the expected complete data log-likelihood

Relation to k-Means

- The K-Means Algorithm:
 1. **Assignment step**: Assign each data point to the closest cluster
 2. **Refitting step**: Move each cluster center to the average of the data assigned to it
- The EM Algorithm:
 1. **E-step**: Compute the posterior probability over z given our current model
 2. **M-step**: Maximize the probability that it would generate the data it is currently responsible for.
- Can you find the similarities between the soft k-Means algorithm and EM algorithm with shared covariance $\frac{1}{\beta}\mathbf{I}$?
- Both rely on alternating optimization methods and can suffer from bad local optima.

Further Discussion

- We assumed the covariance of each Gaussian was I to simplify the math. This assumption can be removed, allowing clusters to have different spatial extents. The resulting algorithm is still very simple.
- Possible problems with maximum likelihood objective:
 - ▶ **Singularities**: Arbitrarily large likelihood when a Gaussian explains a single point with variance shrinking to zero
 - ▶ Non-convex
- EM is more general than what was covered in this lecture. Here, EM algorithm is used to find the optimal parameters under the GMMs.

GMM Recap

- A probabilistic view of clustering - Each cluster corresponds to a different Gaussian.
- Model using **latent variables**.
- General approach, can replace Gaussian with other distributions (continuous or discrete)
- More generally, mixture models are very powerful models, i.e. **universal distribution approximators**
- Optimization is done using the **EM** algorithm.